Design Guide for Twisting Moments in Slabs

Reported by Joint ACI-ASCE Committee 447

ACI 447R-18



American Concrete Institute Always advancing



Design Guide for Twisting Moments in Slabs

Copyright by the American Concrete Institute, Farmington Hills, MI. All rights reserved. This material may not be reproduced or copied, in whole or part, in any printed, mechanical, electronic, film, or other distribution and storage media, without the written consent of ACI.

The technical committees responsible for ACI committee reports and standards strive to avoid ambiguities, omissions, and errors in these documents. In spite of these efforts, the users of ACI documents occasionally find information or requirements that may be subject to more than one interpretation or may be incomplete or incorrect. Users who have suggestions for the improvement of ACI documents are requested to contact ACI via the errata website at http://concrete.org/Publications/ DocumentErrata.aspx. Proper use of this document includes periodically checking for errata for the most up-to-date revisions.

ACI committee documents are intended for the use of individuals who are competent to evaluate the significance and limitations of its content and recommendations and who will accept responsibility for the application of the material it contains. Individuals who use this publication in any way assume all risk and accept total responsibility for the application and use of this information.

All information in this publication is provided "as is" without warranty of any kind, either express or implied, including but not limited to, the implied warranties of merchantability, fitness for a particular purpose or non-infringement.

ACI and its members disclaim liability for damages of any kind, including any special, indirect, incidental, or consequential damages, including without limitation, lost revenues or lost profits, which may result from the use of this publication.

It is the responsibility of the user of this document to establish health and safety practices appropriate to the specific circumstances involved with its use. ACI does not make any representations with regard to health and safety issues and the use of this document. The user must determine the applicability of all regulatory limitations before applying the document and must comply with all applicable laws and regulations, including but not limited to, United States Occupational Safety and Health Administration (OSHA) health and safety standards.

Participation by governmental representatives in the work of the American Concrete Institute and in the development of Institute standards does not constitute governmental endorsement of ACI or the standards that it develops.

Order information: ACI documents are available in print, by download, through electronic subscription, or reprint and may be obtained by contacting ACI.

Most ACI standards and committee reports are gathered together in the annually revised the ACI Collection of Concrete Codes, Specifications, and Practices.

American Concrete Institute 38800 Country Club Drive Farmington Hills, MI 48331 Phone: +1.248.848.3700 Fax: +1.248.848.3701

www.concrete.org

Jian Zhao, Secretary

Design Guide for Twisting Moments in Slabs

Reported by Joint ACI-ASCE Committee 447

Ganesh Thiagarajan, Chair

Riadh S. Al-Mahaidi Gangolu Appa Rao Ashraf S. Ayoub Zdeněk P. Bažant Allan P. Bommer Mi-Geum Chorzepa Carlos Arturo Coronado

Ahmet Emin Aktan Sarah L. Billington Johan Blaauwendraad Oral Buyukozturk Ignacio Carol Luigi Cedolin

Gianluca Cusatis Mukti L. Das James B. Deaton Jason L. Draper Serhan Guner Trevor D. Hrynyk John F. Jakovich

Consulting Members

Wai F. Chen Christopher H. Conley Robert A. Dameron Filip C. Filippou Kurt H. Gerstle Walter H. Gerstle

Robert Iding Anthony R. Ingraffea Feng-Bao Lin Christian Meyer Hiroshi Noguchi Gilles Pijaudier-Cabot

Song F. Jan

Ioannis Koutromanos

Laura N. Lowes

Yong Lu

Yi-Lung Mo

Abbas Mokhtar Zadeh

Wassim I. Naguib

This guide assists practitioners in understanding: 1) twisting moments in two-way slabs, when twisting moments are an essential consideration; 2) methods that can be used to account for twisting moments in design; and 3) the options available for each method of the various system geometries. Descriptions of twisting moments are provided theoretically and visually in the guide, and six methods of accounting for twisting moments in design are discussed. Applicability of the various methods is evaluated through a comparison of designs resulting from each method for a variety of two-way slab types and geometries. The theories described in the guide also apply to the design of two-way wall and two-way dome systems.

Keywords: finite element analysis; shell design; slab design; torsion; twist; twisting moments; wall design.

ACI Committee Reports, Guides, and Commentaries are intended for guidance in planning, designing, executing, and inspecting construction. This document is intended for the use of individuals who are competent to evaluate the significance and limitations of its content and recommendations and who will accept responsibility for the application of the material it contains. The American Concrete Institute disclaims any and all responsibility for the stated principles. The Institute shall not be liable for any loss or damage arising therefrom.

Reference to this document shall not be made in contract documents. If items found in this document are desired by the Architect/Engineer to be a part of the contract documents, they shall be restated in mandatory language for incorporation by the Architect/Engineer.

CONTENTS

CHAPTER 1-INTRODUCTION AND SCOPE, p. 2

- 1.1—Introduction, p. 2
- 1.2—Scope, p. 2

CHAPTER 2-NOTATION AND DEFINITIONS, p. 2

- 2.1-Notation, p. 2
- 2.2—Definitions, p. 3

CHAPTER 3—BACKGROUND, p. 3

3.1-Qualitative introduction to twisting moments in slabs, p. 3

- 3.2-Behavior of linear-elastic isotropic slabs, p. 4
- 3.3—Equilibrium in slabs, p. 4
- 3.4—Principal axes, p. 4

3.5-Orthogonal reinforcement and equilibrium for twisting moments, p. 5

3.6—Effects of slab geometry on twisting moments, p. 5

3.7—Traditional slab design methods, p. 6

3.8-Finite element analysis (FEA)-based slab design resultants, p. 6

All rights reserved including rights of reproduction and use in any form or by any means, including the making of copies by any photo process, or by electronic or mechanical device, printed, written, or oral, or recording for sound or visual reproduction or for use in any knowledge or retrieval system or device, unless permission in writing is obtained from the copyright proprietors.



Dan Palermo

Guillermo Alberto Riveros Mohammad Sharafbayani Hazim Sharhan Sri Sritharan

Syed Mizanur Rahman Victor E. Saouma Frank J. Vecchio Kaspar J. Willam

ACI 447R-18

ACI 447R-18 was adopted and published April 2018.

Copyright © 2018, American Concrete Institute.

CHAPTER 4—AVAILABLE DESIGN METHODS, p. 7

4.1—Finite element analysis (FEA)-based design ignoring twist, p. 7

4.2—Design using the Wood and Armer method, p. 7

4.3—Design using the sandwich model, p. 7

- 4.4—Design using element nodal forces, p. 8
- 4.5—Design using twist-free analysis, p. 9

CHAPTER 5—COMPARISON OF DESIGN METHODS, p. 10

- 5.1—Sensitivity to angle of principal axes, p. 10
- 5.2—Typical design conditions, p. 11

CHAPTER 6—TWO-WAY WALLS, p. 21

6.1—General considerations, p. 21

6.2—Impact of twisting moment on walls exhibiting two adjacent fixed edges, p. 21

CHAPTER 7—SHELL STRUCTURES, p. 24

7.1—General considerations, p. 24

7.2—Typical bulk material storage hemisphere, p. 24

7.3—Typical loading conditions, p. 25

7.4—Typical design regions, p. 25

CHAPTER 8—REFERENCES, p. 29

Authored documents, p. 29

CHAPTER 1—INTRODUCTION AND SCOPE

1.1—Introduction

Section 8.2.1 of ACI 318-14 allows slabs to be designed by any procedure that satisfies equilibrium and geometric compatibility, and requires that, at each section, the design strength exceeds the required strength and serviceability requirements are fulfilled.

Traditional strip design methods for slabs are based on approximate analysis and provide neither a complete equilibrium load path or satisfy geometric compatibility. Nonetheless, these methods have been used successfully for many years to design slabs with supports arranged in a rectangular grid.

From 1995 to 2015, design engineers transitioned from predominantly using traditional slab analysis methods to using finite element analysis (FEA). More recently, engineers use FEA to assist in the structural design of two-way concrete members. Twisting moments in two-way slabs can require additional reinforcement from those proportioned for bending moments, yet they are often misunderstood and sometimes ignored, neglected, or both, by practitioners in design. This is most likely due to their lack of being discussed comprehensively in design codes and frequent exclusion from college concrete design course curricula.

Although FEA solutions provide a full equilibrium load path and satisfy geometric compatibility, they determine load paths that require twisting moments for equilibrium (Shin et al. 2009). Many designers using FEA have ignored these twisting moments—a possible unconservative assumption where twisting moments are high (Park and Gamble 2000). To provide designers with guidance related to this issue, methods for explicitly incorporating twisting moments determined from FEA in the design of slabs are discussed in this guide.

The purpose of this design guide is to provide advice to design engineers who analyze slab systems with finite element methods and who need to ensure their designs are satisfactory for the twisting moments predicted by the analysis. This guide provides background information regarding twisting moments and describes multiple approaches for consideration of twisting moments in design. It also provides advice for designers of walls and shells with twisting moment conditions similar to those in slabs.

1.2—Scope

This design guide applies to slabs of both uniform and nonuniform thicknesses, including drop caps and drop panels, except where noted in the text. This guide does not apply to waffle slabs, or the beams of beam-and-slab floor systems. Chapters 3 through 6 address slabs and walls in which the response is determined purely by bending. Chapter 7 addresses shells for which the response is determined by bending and membrane action. Chapter 6 and the theory sections of this guide are applicable to walls. Chapter 7 and the theory sections of this guide are applicable to shells, with the caveat that equations presented in Chapter 3 are not valid for curved shells.

CHAPTER 2—NOTATION AND DEFINITIONS

2.1—Notation

Ε

- $c_{i,j}$ = fraction for consideration of sections partially crossing element to apply to forces in local node *j* in element *i*
- D = flexural rigidity of plate, in.-lb (N·mm)
 - = Young's modulus, psi (MPa)
- F =force vector, lb (N)
- $f_{i,j}$ = nodal force vector for local node *j* in element *i*
- h = thickness of slab or plate, in. (mm)
- L = width of design section, in. (mm)
- M = bending moment, or moment vector, in.-lb (N·mm)
- M_d = design bending moment, in.-lb (N·mm)
- M_i = bending moment from isotropic analysis, in.-lb (N·mm)
- M_{tf} = bending moment from twist-free analysis, in.-lb (N·mm)
- M_u = design moment for slab cross section, in.-lb (N·mm)
- $m_{i,j}$ = nodal moment vector for local node *j* in element *i*, in.-lb/in. (N·mm/mm)
- m_r = bending moment causing stresses parallel to *r*-axis, per unit length of slab or plate, in.-lb/in. (N·mm/ mm)
- m_{rs} = twisting moment relative to *r*-*s*-axes per unit length of slab or plate, in.-lb/in. (N·mm/mm)
- m_s = bending moment causing stresses parallel to *s*-axis, per unit length of slab or plate, in.-lb/in. (N·mm/mm)