

## Handout T2/D75-B

**TABLE 1 Size of Samples**

Aggregate Size <sup>A</sup>	Field Sample Mass, min, kg <sup>B</sup>
Fine Aggregate	
2.36 mm	10
4.75 mm	10
Coarse Aggregate	
9.5 mm	10
12.5 mm	15
19.0 mm	25
25.0 mm	50
37.5 mm	75
50 mm	100
63 mm	125
75 mm	150
90 mm	175

<sup>A</sup> For processed aggregates, use the nominal maximum size as indicated by the appropriate specification or description. If the specification or description does not indicate a nominal maximum size (for example, a sieve size indicating 90-100% passing), use the maximum size (that sieve indicating 100% passing).

<sup>B</sup> For combined coarse and fine aggregates (for example, base or subbase aggregate) the minimum weight shall be coarse aggregate minimum mass plus 10kg.