

ACI 310R-19

Guide to Decorative Concrete

Reported by Joint ACI-ASCC Committee 310



AMERICAN SOCIETY OF
CONCRETE CONTRACTORS



American Concrete Institute
Always advancing



Guide to Decorative Concrete

Copyright by the American Concrete Institute, Farmington Hills, MI. All rights reserved. This material may not be reproduced or copied, in whole or part, in any printed, mechanical, electronic, film, or other distribution and storage media, without the written consent of ACI.

The technical committees responsible for ACI committee reports and standards strive to avoid ambiguities, omissions, and errors in these documents. In spite of these efforts, the users of ACI documents occasionally find information or requirements that may be subject to more than one interpretation or may be incomplete or incorrect. Users who have suggestions for the improvement of ACI documents are requested to contact ACI via the errata website at <http://concrete.org/Publications/DocumentErrata.aspx>. Proper use of this document includes periodically checking for errata for the most up-to-date revisions.

ACI committee documents are intended for the use of individuals who are competent to evaluate the significance and limitations of its content and recommendations and who will accept responsibility for the application of the material it contains. Individuals who use this publication in any way assume all risk and accept total responsibility for the application and use of this information.

All information in this publication is provided “as is” without warranty of any kind, either express or implied, including but not limited to, the implied warranties of merchantability, fitness for a particular purpose or non-infringement.

ACI and its members disclaim liability for damages of any kind, including any special, indirect, incidental, or consequential damages, including without limitation, lost revenues or lost profits, which may result from the use of this publication.

It is the responsibility of the user of this document to establish health and safety practices appropriate to the specific circumstances involved with its use. ACI does not make any representations with regard to health and safety issues and the use of this document. The user must determine the applicability of all regulatory limitations before applying the document and must comply with all applicable laws and regulations, including but not limited to, United States Occupational Safety and Health Administration (OSHA) health and safety standards.

Participation by governmental representatives in the work of the American Concrete Institute and in the development of Institute standards does not constitute governmental endorsement of ACI or the standards that it develops.

Order information: ACI documents are available in print, by download, through electronic subscription, or reprint, and may be obtained by contacting ACI.

ACI codes, specifications, and practices are made available in the ACI Collection of Concrete Codes, Specifications, and Practices. The online subscription to the ACI Collection is always updated, and includes current and historical versions of ACI's codes and specifications (in both inch-pound and SI units) plus new titles as they are published. The ACI Collection is also available as an eight-volume set of books and a USB drive.

American Concrete Institute
38800 Country Club Drive
Farmington Hills, MI 48331
Phone: +1.248.848.3700
Fax: +1.248.848.3701

Guide to Decorative Concrete

Reported by ACI Joint ACI-ASCC Committee 310

Larry Rowland, Chair

Clark Branum, Secretary

Jason Barnes
Lance Boyer
Daniel P. Dorfmueller
James A. Farny
Robert Patrick Harris
Patrick J. Harrison
Roy E. Harvey

David E. Hoyt
Byron A. Klemaske II
Michael A. Linn
Allyn C. Luke
Darryl Manuel
Scott C. Metzger
Bent O. Mikkelsen

Joe A. Reardon
Kevin Sigourney
Michael S. Smith
Nicholas J. Sorrentino
David E. Stephenson
Cori E. Sutton
James Vermillion

Anne M. Werner
Consulting members
Harry P. Moats
Mike Murray
Joseph V. Nasvik

This guide describes techniques for imparting aesthetic finishes to concrete flatwork, of which many can be combined for unique effects. The owner and architect/engineer will acquire detailed, practical guidance for achieving aesthetic effects using proven techniques. Recommendations are made for the production of cast-in-place decorative concrete flatwork, decorative stains, and overlays. In addition to attention to the specified materials, mixture designs, concrete placement, curing, protection, sealing, and other treatments, this guide also considers the effects of these treatments on the overall aesthetics of the project.

Keywords: cementitious overlays; dry-shake hardeners and release agents; embossing; engraving; etching; inlays; polishing; stains; stamping; tooling.

CONTENTS

CHAPTER 1—INTRODUCTION AND SCOPE, p. 2

- 1.1—Introduction, p. 2
- 1.2—Scope, p. 2

CHAPTER 2—DEFINITIONS, p. 3

CHAPTER 3—GENERAL AND DESIGN CONSIDERATIONS, p. 4

- 3.1—General, p. 4
- 3.2—Process development, p. 4

3.3—Substrate preparation, p. 5

3.4—Jointing, p. 6

3.5—Joint filling and sealing, p. 6

3.6—Proper installation and quality control, p. 7

3.7—Climate, p. 8

3.8—Curing, p. 8

3.9—Sealers, p. 10

3.10—Safety, p. 10

3.11—Reinforcement, p. 10

3.12—Sustainability, p. 10

CHAPTER 4—PLASTIC CONCRETE COLOR TECHNIQUES, p. 11

4.1—General, p. 11

4.2—Integral color, p. 11

4.3—Color shake-on hardeners, p. 13

4.4—Exposed aggregate, p. 14

4.5—Advantages, p. 15

4.6—Disadvantages, p. 15

4.7—Special procedures and tools, p. 16

4.8—Required products, p. 16

4.9—Safety, p. 16

4.10—Maintenance, p. 16

CHAPTER 5—PLASTIC CONCRETE TEXTURING AND PATTERNING TECHNIQUES, p. 16

5.1—Texturing: embossing, imprinting, stenciling, and stamping, p. 16

5.2—Stamping, p. 17

5.3—Texture and pattern rollers, p. 19

5.4—Stencils (paper templates), p. 20

5.5—Object impressing, p. 21

5.6—Texturing with standard tooling, p. 21

ACI Committee Reports, Guides, and Commentaries are intended for guidance in planning, designing, executing, and inspecting construction. This document is intended for the use of individuals who are competent to evaluate the significance and limitations of its content and recommendations and who will accept responsibility for the application of the material it contains. The American Concrete Institute disclaims any and all responsibility for the stated principles. The Institute shall not be liable for any loss or damage arising therefrom.

Reference to this document shall not be made in contract documents. If items found in this document are desired by the Architect/Engineer to be a part of the contract documents, they shall be restated in mandatory language for incorporation by the Architect/Engineer.

ACI 310R-19 supersedes ACI 310R-13 and was adopted and published August 2019. Copyright © 2019, American Concrete Institute.

All rights reserved including rights of reproduction and use in any form or by any means, including the making of copies by any photo process, or by electronic or mechanical device, printed, written, or oral, or recording for sound or visual reproduction or for use in any knowledge or retrieval system or device, unless permission in writing is obtained from the copyright proprietors.

CHAPTER 6—POST-PLACEMENT COLORING TECHNIQUES, p. 22

- 6.1—General, p. 22
- 6.2—Reactive stains, p. 24
- 6.3—Nonreactive stains and concrete dyes, p. 29
- 6.4—Acid etching, p. 30

CHAPTER 7—POST-PLACEMENT TEXTURING AND PATTERNING TECHNIQUES, p. 30

- 7.1—General, p. 30
- 7.2—Ground and polished concrete, p. 32
- 7.3—Sandblast stenciling (abrasive blast stenciling), p. 40
- 7.4—Engraved concrete, p. 41
- 7.5—Decorative saw-cutting (scoring), p. 42

CHAPTER 8—DECORATIVE OVERLAYS AND REPAIR METHODS, p. 43

- 8.1—General, p. 43
- 8.2—Special procedures and tools, p. 44
- 8.3—Required products, p. 45
- 8.4—Application, p. 45
- 8.5—Touch-ups and post-repair aesthetic treatments, p. 46

CHAPTER 9—MAINTENANCE, p. 46

- 9.1—General, p. 46
- 9.2—Protective treatments, p. 46
- 9.3—Stained concrete, p. 47
- 9.4—Hardened and densified concrete, p. 47
- 9.5—Maintenance plan and closeout documentation, p. 47

CHAPTER 10—REFERENCES, p. 47

- Authored documents, p. 48

CHAPTER 1—INTRODUCTION AND SCOPE

1.1—Introduction

Decorative concrete has been in existence since approximately 70 A.D., when concrete was used for defining affluent or important areas of living space in communal cultures (ConcreteNetwork.com 2019). Early examples of this type of adornment are the streets and paving throughout the city of Pompeii near Naples, Italy. Early decorative concrete used colored aggregates and varying shapes or natural materials embedded in concrete paving.

Traditionally, concrete has been specified more for its functional characteristics than as an enhancement to the aesthetics. Landscape architects were leaders in using concrete flatwork to enhance the visual appeal of hardscapes. Using color and texture introduced concrete as a landscape feature in addition to its functionality. An example is flatwork textured and colored to replicate the look of slate, brick, or natural stone, as shown in Fig. 1.1a and 1.1b.

The use of decorative concrete has been well received and considered as an alternative to other building materials for durable, versatile, and economical finishes. Designers are creating greater aesthetic appeal in projects by using one or more combinations of special concrete placement techniques, including integral concrete colors, color hard-



Fig. 1.1a—Stamped, colored concrete with slate and brick patterns in landscape setting (courtesy of Decorative Concrete Resources).



Fig. 1.1b—Concrete slab enhances design aesthetic with mimic of stone slab (courtesy of L. M. Scofield Company).

eners, chemical stains, pigments and dyes, surface texturing, jointing, exposed aggregate, surface embossing, polishing, and the use of sealants and coatings. The combinations of techniques and mediums described in this guide are exclusive; they cannot be replicated by any other durable medium.

1.2—Scope

This guide describes several techniques for imparting aesthetic finishes to concrete, many of which can be combined for unique effects (Fig. 1.2a and 1.2b). The guide provides detailed practical guidance for achieving aesthetic effects

using proven techniques, both within and beyond the context of ACI 302.1R, which also governs these concrete elements.

Recommendations for the production of cast-in-place decorative concrete, stains, and overlays are presented. In addition to attention to specified materials, mixture proportions, concrete placement, curing, protection, sealing, and other treatments, consideration of the effects of these treatments on the overall aesthetics of the structure is also addressed.

CHAPTER 2—DEFINITIONS

Please refer to the latest version of “ACI Concrete Terminology” for a comprehensive list of definitions. Definitions provided herein complement that resource.

color hardener—similar to traditional one-component hardeners, having additional constituent materials formulated to color the concrete surface.

concrete dye—colorant for concrete that is applied to the concrete while it is in solution and results in a stained appearance; concrete dyes do not produce color via chemical reaction.



Fig. 1.2a—Cast-in-place decorative concrete combining treatments during and post placement to achieve aesthetic effects (courtesy of Concrete Mystique Engraving).

crack chaser—rotary tool using a v-shaped diamond blade to enlarge cracks in concrete to facilitate repair.

decorative aggregate—specially selected aggregates chosen for their artistic contribution to the project; examples of materials used as decorative aggregate include colored stone, intrinsically valuable gathered stone, semiprecious stone, or colored glass.

decorative overlay—mixture of cementitious materials installed over an existing concrete substrate.

densifier—combination of silicate and water-based compounds that react in the surface of the concrete to produce additional calcium silicate hydrate (C-S-H).

embossing—creating a raised print or reverse replication of an object in the concrete surface.

engraving—cutting with a mechanical rotary or impact tool to texture a concrete surface.

etch—textured surface produced by cutting with a mechanical impact tool or by chemical etching by use of acid.

grinding—intentional removal of a visually apparent amount of the surface paste to create a profile on the surface.

integral color—iron oxide pigments that are added to the concrete during the mixing process to change the color of the paste.

microtopping—bonded decorative overlay usually 1/8 to 3/16 in. (3 to 5 mm) in thickness.

needle scaler—reciprocal impact tool that uses single or multiple thin rods to strike a surface.

polished concrete—post-placement architectural finish or texturing technique where concrete undergoes sequential mechanical abrasion resulting in full surface refinement.

polished overlay—bonded decorative overlay 3/8 to 1 in. (10 to 25 mm) in depth cast over an existing concrete substrate designed to accept diamond abrading for a polished concrete appearance.

reactive stain—reactive solution of one or more metal salts stabilized by acid that produce coloration in a concrete substrate by neutralization of acid followed by precipitation of metal hydroxides or oxides.



Fig. 1.2b—Decorative concrete applications such as post placement colorants can complement or enhance the overall aesthetics of a project (courtesy of PROSOCO).