

# ACI MATERIALS JOURNAL

## Keyword Index Volume 109, 2012 *January through December 2012*



American Concrete Institute®  
*Advancing concrete knowledge*

| Keywords            | Paper Title   | Paper No. | Author Names   | Month/Year     | Page No. |
|---------------------|---|-----------|--|----------------|----------|
| accelerated test    | Accelerating Standard Test Method for Assessing Corrosion of Steel in Concrete                | 109-M40   | Ceki Halmen and David Trejo  | July-Aug. 2012 | 421      |
| accelerated testing | Do Current Laboratory Test Methods Accurately Predict Alkali-Silica Reactivity?               | 109-M37   | Jason H. Ideker, Anthony F. Bentivegna, Kevin J. Folliard, and Maria C. G. Juenger | July-Aug. 2012 | 395      |
| acoustic emission   | Surface Wave Velocity-Stress Relationship in Uniaxially Loaded Concrete                       | 109-M14   | Parisa Shokouhi, Andreas Zoëga, Herbert Wiggenhauser, and Gregor Fischer           | Mar.-Apr. 2012 | 141      |
| acoustoelasticity   | Surface Wave Velocity-Stress Relationship in Uniaxially Loaded Concrete                       | 109-M14   | Parisa Shokouhi, Andreas Zoëga, Herbert Wiggenhauser, and Gregor Fischer           | Mar.-Apr. 2012 | 141      |
| additives           | Effects of Additives on Properties of Rapid-Setting Controlled Low-Strength Material Mixtures | 109-M03   | Lianxiang Du, Kevin J. Folliard, and Thanos Drimalas                               | Jan.-Feb. 2012 | 21       |

| Keywords  | Paper Title   | Paper No. | Author Names  | Month/Year      | Page No. |
|---|---|-----------|---|-----------------|----------|
| adhesive  | Creep Testing of Epoxy-Bonded Reinforcing Bar Couplers  | 109-M47   | Griffin Brungraber  | Sept.-Oct. 2012 | 499      |
| admixtures  | Effect of Vibration Amplitude on Concrete with Damping Additives  | 109-M35   | Adam G. Bowland, Richard E. Weyers, Finley A. Charney, Norman E. Dowling, Thomas M. Murray, and Andrei Ramniceanu | May-June 2012   | 371      |
| aggregate   | Do Current Laboratory Test Methods Accurately Predict Alkali-Silica Reactivity?   | 109-M37   | Jason H. Ideker, Anthony F. Bentivegna, Kevin J. Folliard, and Maria C. G. Juenger                                | July-Aug. 2012  | 395      |
| aggregate   | Optimized Gel Pat Test for Detection of Alkali-Reactive Aggregates  | 109-M38   | Victor Lanza and Pilar Alaejos  | July-Aug. 2012  | 403      |
| aggregate gradation                               | Development of Frangible Concrete to Reduce Blast-Related Casualties  | 109-M04   | Edward F. O'Neil, Weiguo Shen, Hamlin M. Jennings, Jeffrey J. Thomas, and Toney Cummins                           | Jan.-Feb. 2012  | 31       |
| aggregates  | Combined Effect of Aggregate and Mineral Admixtures on Tensile Ductility of Engineered Cementitious Composites                  | 109-M61   | Mustafa Şahmaran, Hasan E. Yücel, Serhat Demirhan, Mehmet T. Arık, and Victor C. Li                               | Nov.-Dec. 2012  | 627      |
| alkali-activated cement                           | High Temperature Resistance of Alkali-Activated Slag- and Portland Cement-Based Reactive Powder Concrete                        | 109-M44   | Serdar Aydın and Bülent Baradan   | July-Aug. 2012  | 463      |
| alkali-activated concrete                         | Empirical Equations for Mechanical Properties of Ca(OH) <sub>2</sub> -Based Alkali-Activated Slag Concrete                      | 109-M41   | Keun-Hyeok Yang and Jin-Kyu Song  | July-Aug. 2012  | 431      |
| alkali-activated natural pozzolan (AANP) concrete | Oxygen and Chloride Permeability of Alkali-Activated Natural Pozzolan Concrete  | 109-M06   | Dali Bondar, Cyril J. Lynsdale, Neil B. Milestone, and Nemat Hassani  | Jan.-Feb. 2012  | 53       |
| alkali-aggregate reaction                         | Optimized Gel Pat Test for Detection of Alkali-Reactive Aggregates  | 109-M38   | Victor Lanza and Pilar Alaejos  | July-Aug. 2012  | 403      |
| alkaline activation                               | Effect of Na <sub>2</sub> SiO <sub>3</sub> /NaOH Ratios and NaOH Molarities on Compressive Strength of Fly-Ash-Based Geopolymer | 109-M48   | A. M. Mustafa Al Bakri, H. Kamarudin, M. Bnhussain, A. R. Rafiza, and Y. Zarina                                   | Sept.-Oct. 2012 | 503      |
| alkali-silica reaction                            | Do Current Laboratory Test Methods Accurately Predict Alkali-Silica Reactivity?   | 109-M37   | Jason H. Ideker, Anthony F. Bentivegna, Kevin J. Folliard, and Maria C. G. Juenger                                | July-Aug. 2012  | 395      |
| aluminum sulfate                                  | Effects of Additives on Properties of Rapid-Setting Controlled Low-Strength Material Mixtures                                   | 109-M03   | Lianxiang Du, Kevin J. Folliard, and Thanos Drimalas  | Jan.-Feb. 2012  | 21       |
| analysis  | Effect of Transient Creep on Behavior of Reinforced Concrete Beams in a Fire  | 109-M59   | Arezki Sadaoui and Amar Khennane  | Nov.-Dec. 2012  | 607      |

| Keywords                  | Paper Title  | Paper No. | Author Names  | Month/Year      | Page No. |
|---------------------------|--|-----------|---|-----------------|----------|
| anchorage                 | Creep Testing of Epoxy-Bonded Reinforcing Bar Couplers   | 109-M47   | Griffin Brungraber  | Sept.-Oct. 2012 | 499      |
| anhydrous particle        | Energy-Based Analysis of Nanoindentation Curves for Cementitious Materials   | 109-M09   | Kaushal K. Jha, Nakin Suksawang, Debrupa Lahiri, and Arvind Agarwal                               | Jan.-Feb. 2012  | 81       |
| artificial neural network | Artificial Intelligence Model for Early-Age Autogenous Shrinkage of Concrete   | 109-M33   | Moncef L. Nehdi and Ahmed M. Soliman  | May-June 2012   | 353      |
| autogenous                | Artificial Intelligence Model for Early-Age Autogenous Shrinkage of Concrete   | 109-M33   | Moncef L. Nehdi and Ahmed M. Soliman  | May-June 2012   | 353      |
| autogenous                | Early-Age Shrinkage of Ultra-High-Performance Concrete under Drying/Wetting Cycles and Submerged Conditions                          | 109-M13   | Ahmed Soliman and Moncef Nehdi  | Mar.-Apr. 2012  | 131      |
| beams                     | Effect of Transient Creep on Behavior of Reinforced Concrete Beams in a Fire   | 109-M59   | Arezki Sadaoui and Amar Khennane  | Nov.-Dec. 2012  | 607      |
| bending strength          | Effect of Beam Size, Casting Method, and Support Conditions on Flexural Behavior of Ultra-High-Performance Fiber-Reinforced Concrete | 109-M36   | Kay Wille and Gustavo J. Parra-Montesinos   | May-June 2012   | 379      |
| bending test              | Proposed Flexural Test Method and Associated Inverse Analysis for Ultra-High-Performance Fiber-Reinforced Concrete                   | 109-M53   | Florent Baby, Benjamin Graybeal, Pierre Marchand, and François Toutlemonde                        | Sept.-Oct. 2012 | 545      |
| biaxial stress state      | Biaxial Stress due to Shrinkage in Concrete Jackets of Strengthened Columns  | 109-M31   | Andreas P. Lampropoulos, Ourania T. Tsioulou, and Stephanos E. Dritsos                            | May-June 2012   | 331      |
| bottom ash                | Potential Recycling of Bottom and Fly Ashes in Acoustic Mortars and Concretes  | 109-M51   | Carlos Leiva, Luis F. Vilches, Celia Arenas, Silvia Delgado, and Constantino Fernández-Pereira    | Sept.-Oct. 2012 | 529      |
| buffer                    | Setting Time Measurement Using Ultrasonic Wave Reflection  | 109-M12   | Chul-Woo Chung, Prannoy Suraneni, John S. Popovics, and Leslie J. Struble                         | Jan.-Feb. 2012  | 109      |
| C-S-H                     | Energy-Based Analysis of Nanoindentation Curves for Cementitious Materials   | 109-M09   | Kaushal K. Jha, Nakin Suksawang, Debrupa Lahiri, and Arvind Agarwal                               | Jan.-Feb. 2012  | 81       |
| calcium silicate          | Corrosion Performance of Reactive-Enamel Coated Reinforcing Steel  | 109-M42   | Charles R. Werner, Jeffery S. Volz, Genda Chen, Richard K. Brow, and Michael L. Koenigstein       | July-Aug. 2012  | 441      |
| calorimetry               | Modeling Hydration of Cementitious Systems   | 109-M23   | Kyle A. Riding, Jonathan L. Poole, Kevin J. Folliard, Maria C. G. Juenger, and Anton K. Schindler | Mar.-Apr. 2012  | 225      |

| Keywords                    | Paper Title   | Paper No. | Author Names   | Month/Year      | Page No. |
|-----------------------------|---|-----------|--|-----------------|----------|
| capillary suction           | Influence of Environment on Durability of Fly Ash Cement Mortars  | 109-M63   | J. Marcos Ortega, Isidro Sánchez, Carlos Antón, Guillem de Vera, and Miguel A. Climent | Nov.-Dec. 2012  | 647      |
| carbon nanotubes            | Electromagnetic Characteristics of Cement Matrix Materials with Carbon Nanotubes                            | 109-M34   | I. W. Nam, H. K. Lee, J. B. Sim, and S. M. Choi  | May-June 2012   | 363      |
| carbonation                 | Concrete Carbonation as a Limited Process and Its Relevance to Concrete Cover Thickness                     | 109-M25   | Lech Czarnecki and Piotr Woyciechowski   | May-June 2012   | 275      |
| carbonation                 | Performance of Portland/Silica Fume Cement Concrete Produced with Recycled Concrete Aggregate               | 109-M10   | Mukesh Limbachiya, Mohammed Seddik Meddah, and Youssef Ouchagour                       | Jan.-Feb. 2012  | 91       |
| cement                      | Fracture Surface-Based Toughness Modeling of Cement-Based Materials   | 109-M05   | Anne B. (Abell) Nichols and David A. Lange   | Jan.-Feb. 2012  | 41       |
| cement matrix materials     | Electromagnetic Characteristics of Cement Matrix Materials with Carbon Nanotubes                            | 109-M34   | I. W. Nam, H. K. Lee, J. B. Sim, and S. M. Choi  | May-June 2012   | 363      |
| cement paste                | Low-Cycle Fatigue of Oil Well Cements in Compression  | 109-M19   | Xueyu Pang, Robert Darbe, Kris Ravi, and Christian Meyer                               | Mar.-Apr. 2012  | 185      |
| cement paste                | Setting Time Measurement Using Ultrasonic Wave Reflection   | 109-M12   | Chul-Woo Chung, Prannoy Suraneni, John S. Popovics, and Leslie J. Struble              | Jan.-Feb. 2012  | 109      |
| chemical admixtures         | Early-Age Creep of Mass Concrete: Effects of Chemical and Mineral Admixtures                                | 109-M52   | Sergio Botassi dos Santos, Luiz Carlos Pinto da Silva Filho, and João Luiz Calmon      | Sept.-Oct. 2012 | 537      |
| chemical oxygen demand      | Early-Age Shrinkage of Ultra-High-Performance Concrete under Drying/Wetting Cycles and Submerged Conditions | 109-M13   | Ahmed Soliman and Moncef Nehdi   | Mar.-Apr. 2012  | 131      |
| chemical shrinkage          | Cement Chemical Shrinkage as Measure of Hydration Kinetics and Its Relationship with Nonevaporable Water    | 109-M32   | Xueyu Pang and Christian Meyer   | May-June 2012   | 341      |
| chloride ingress            | Performance of Portland/Silica Fume Cement Concrete Produced with Recycled Concrete Aggregate               | 109-M10   | Mukesh Limbachiya, Mohammed Seddik Meddah, and Youssef Ouchagour                       | Jan.-Feb. 2012  | 91       |
| chloride ingress resistance | Influence of Environment on Durability of Fly Ash Cement Mortars  | 109-M63   | J. Marcos Ortega, Isidro Sánchez, Carlos Antón, Guillem de Vera, and Miguel A. Climent | Nov.-Dec. 2012  | 647      |
| chloride permeability       | Oxygen and Chloride Permeability of Alkali-Activated Natural Pozzolan Concrete                              | 109-M06   | Dali Bondar, Cyril J. Lynsdale, Neil B. Milestone, and Nemat Hassani                   | Jan.-Feb. 2012  | 53       |

| Keywords             | Paper Title   | Paper No. | Author Names  | Month/Year      | Page No. |
|----------------------|---|-----------|---|-----------------|----------|
| clogging             | Vertical Distribution of Sediments in Pervious Concrete Pavement Systems  | 109-M15   | Luis A. Mata and Michael L. Leming  | Mar.-Apr. 2012  | 149      |
| component materials  | Experimental Study on Dynamic Axial Tensile Mechanical Properties of Concrete and Its Components                                | 109-M50   | Shengxing Wu, Yao Wang, Dejian Shen, and Jikai Zhou                             | Sept.-Oct. 2012 | 517      |
| compression          | Effect of Phase-Change Materials on Properties of Concrete  | 109-M08   | Pania Meshgin and Yunping Xi  | Jan.-Feb. 2012  | 71       |
| compressive strength | Distributions of Compressive Strength Obtained from Various Diameter Cores  | 109-M58   | Ahmet Ozan Celik, Kadir Kilinc, Mustafa Tuncan, and Ahmet Tuncan                | Nov.-Dec. 2012  | 597      |
| compressive strength | Effect of Na <sub>2</sub> SiO <sub>3</sub> /NaOH Ratios and NaOH Molarities on Compressive Strength of Fly-Ash-Based Geopolymer | 109-M48   | A. M. Mustafa Al Bakri, H. Kamarudin, M. Bnhussain, A. R. Rafiza, and Y. Zarina | Sept.-Oct. 2012 | 503      |
| compressive strength | Effect of Using Mortar Interface and Overlays on Masonry Behavior by Using Taguchi Method                                       | 109-M49   | Mariam Farouk Ghazy   | Sept.-Oct. 2012 | 509      |
| compressive strength | Influence of Specimen Size and Fiber Content on Mechanical Properties of Ultra-High-Performance Fiber-Reinforced Concrete       | 109-M66   | Sadegh Kazemi and Adam S. Lubell  | Nov.-Dec. 2012  | 675      |
| compressive strength | Mechanical Properties and Durability of Ultra-High-Performance Concrete   | 109-M18   | Cornelia Magureanu, Ioan Sosa, Camelia Negrutiu, and Bogdan Heghes              | Mar.-Apr. 2012  | 177      |
| compressive strength | Monotonic and Cyclic Behavior of High-Strength Concrete with Polypropylene Fibers at High Temperature                           | 109-M30   | Eddie Siu-Shu Lam, Bo Wu, Qun Liu, and Ivy Fung-Yuen Ho                         | May-June 2012   | 323      |
| compressive strength | Rebound Hammer, Pulse Velocity, and Core Tests in Self-Consolidating Concrete   | 109-M24   | Lina Rojas-Henao, Jaime Fernández-Gómez, and Juan Carlos López-Agüí             | Mar.-Apr. 2012  | 235      |
| compressive strength | Relative Compressive Strength of Concretes under Elevated Temperatures  | 109-M17   | Erdogan Özbay and Mohamed Lachemi   | Mar.-Apr. 2012  | 165      |
| compressive strength | Use of Relatively High Fe <sub>2</sub> O <sub>3</sub> Steel Slag as Coarse Aggregate in Concrete                                | 109-M45   | Hisham Qasrawi  | July-Aug. 2012  | 471      |
| concrete cores       | Distributions of Compressive Strength Obtained from Various Diameter Cores  | 109-M58   | Ahmet Ozan Celik, Kadir Kilinc, Mustafa Tuncan, and Ahmet Tuncan                | Nov.-Dec. 2012  | 597      |
| concrete roof tile   | Mechanical Characterization of Concrete Roof Tiles  | 109-M02   | María Isabel Sánchez de Rojas, Félix P. Marín, and Ana María Martín             | Jan.-Feb. 2012  | 11       |

| Keywords                                | Paper Title   | Paper No. | Author Names  | Month/Year      | Page No. |
|---|---|-----------|---|-----------------|----------|
| contact depth                           | Energy-Based Analysis of Nanoindentation Curves for Cementitious Materials                                  | 109-M09   | Kaushal K. Jha, Nakin Suksawang, Debrupa Lahiri, and Arvind Agarwal                         | Jan.-Feb. 2012  | 81       |
| controlled low-strength material (CLSM) | Effects of Additives on Properties of Rapid-Setting Controlled Low-Strength Material Mixtures               | 109-M03   | Lianxiang Du, Kevin J. Folliard, and Thanos Drimalas  | Jan.-Feb. 2012  | 21       |
| core strength                           | Rebound Hammer, Pulse Velocity, and Core Tests in Self-Consolidating Concrete                               | 109-M24   | Lina Rojas-Henao, Jaime Fernández-Gómez, and Juan Carlos López-Agüí                         | Mar.-Apr. 2012  | 235      |
| corn steep liquor                       | Corrosion Prevention of Reinforced Concrete with Microbial Calcite Precipitation                            | 109-M16   | Varenyam Achal, Abhijit Mukherjee, Shweta Goyal, and M. Sudhakara Reddy                     | Mar.-Apr. 2012  | 157      |
| corrosion                               | Corrosion Mitigation in Reinforced Concrete Beams via Nanoparticle Treatment                                | 109-M60   | Kunal Kupwade-Patil, Henry E. Cardenas, Kanielle Gordon, and Luke S. Lee                    | Nov.-Dec. 2012  | 617      |
| corrosion                               | Corrosion Performance of Reactive-Enamel Coated Reinforcing Steel   | 109-M42   | Charles R. Werner, Jeffery S. Volz, Genda Chen, Richard K. Brow, and Michael L. Koenigstein | July-Aug. 2012  | 441      |
| corrosion                               | Corrosion Prevention of Reinforced Concrete with Microbial Calcite Precipitation                            | 109-M16   | Varenyam Achal, Abhijit Mukherjee, Shweta Goyal, and M. Sudhakara Reddy                     | Mar.-Apr. 2012  | 157      |
| corrosion                               | Oxygen Transport and Corrosion of Steel in Concrete under Varying Concrete Cover, <i>w/c</i> , and Moisture | 109-M01   | Raja Rizwan Hussain, Tetsuya Ishida, and Muhammad Wasim                                     | Jan.-Feb. 2012  | 3        |
| corrosion testing                       | Accelerating Standard Test Method for Assessing Corrosion of Steel in Concrete                              | 109-M40   | Ceki Halmen and David Trejo   | July-Aug. 2012  | 421      |
| coupler                                 | Creep Testing of Epoxy-Bonded Reinforcing Bar Couplers  | 109-M47   | Griffin Brungraber  | Sept.-Oct. 2012 | 499      |
| crack meter                             | Apparent Thermal Coefficient of Expansion of Concrete Building with Restraint                               | 109-M07   | Magued Iskander, Saumil Parikh, and Walid Aboumoussa  | Jan.-Feb. 2012  | 63       |
| crack propagation                       | Crack Propagation in Recycled Aggregate Concrete under Uniaxial Compressive Loading                         | 109-M43   | Jianzhuang Xiao, Wengui Li, Zhihui Sun, and Surendra P. Shah                                | July-Aug. 2012  | 451      |
| cracking                                | Long-Term Behavior of Cracked Steel Fiber-Reinforced Concrete Beams under Sustained Loading                 | 109-M22   | Raúl L. Zerbino and Bryan E. Barragán   | Mar.-Apr. 2012  | 215      |
| creep                                   | Creep Testing of Epoxy-Bonded Reinforcing Bar Couplers  | 109-M47   | Griffin Brungraber  | Sept.-Oct. 2012 | 499      |

| Keywords          | Paper Title  | Paper No. | Author Names  | Month/Year      | Page No. |
|-------------------|--|-----------|---|-----------------|----------|
| creep             | Early-Age Creep of Mass Concrete: Effects of Chemical and Mineral Admixtures                               | 109-M52   | Sergio Botassi dos Santos, Luiz Carlos Pinto da Silva Filho, and João Luiz Calmon                                 | Sept.-Oct. 2012 | 537      |
| creep             | Long-Term Behavior of Cracked Steel Fiber-Reinforced Concrete Beams under Sustained Loading                | 109-M22   | Raúl L. Zerbino and Bryan E. Barragán   | Mar.-Apr. 2012  | 215      |
| cross-tie         | Hydraulic Pressure Cracking in Rail Seats of Concrete Crossties  | 109-M62   | John C. Zeman, J. Riley Edwards, David A. Lange, and Christopher P. L. Barkan                                     | Nov.-Dec. 2012  | 639      |
| crumb rubber      | Fresh, Mechanical, Transport, and Durability Properties of Self-Consolidating Rubberized Concrete          | 109-M39   | Okan Karahan, Erdoğan Özbay, Khandaker M. A. Hossain, Mohamed Lachemi, and Cengiz D. Atiş                         | July-Aug. 2012  | 413      |
| curing conditions | Concrete Made with Coarse Concrete Aggregate: Influence of Curing on Durability                            | 109-M20   | Pedro Amorim, Jorge de Brito, and Luís Evangelista  | Mar.-Apr. 2012  | 195      |
| curing pressure   | Cement Chemical Shrinkage as Measure of Hydration Kinetics and Its Relationship with Nonevaporable Water   | 109-M32   | Xueyu Pang and Christian Meyer  | May-June 2012   | 341      |
| cyclic load       | Experimental Study on Dynamic Axial Tensile Mechanical Properties of Concrete and Its Components           | 109-M50   | Shengxing Wu, Yao Wang, Dejian Shen, and Jikai Zhou   | Sept.-Oct. 2012 | 517      |
| cyclic loading    | Monotonic and Cyclic Behavior of High-Strength Concrete with Polypropylene Fibers at High Temperature      | 109-M30   | Eddie Siu-Shu Lam, Bo Wu, Qun Liu, and Ivy Fung-Yuen Ho   | May-June 2012   | 323      |
| D-cracking        | A First-Cut Field Method to Evaluate Limestone Aggregate Durability  | 109-M54   | Julienne Ruth Emry, Robert H. Goldstein, and Evan K. Franseen   | Sept.-Oct. 2012 | 557      |
| damping           | Effect of Vibration Amplitude on Concrete with Damping Additives   | 109-M35   | Adam G. Bowland, Richard E. Weyers, Finley A. Charney, Norman E. Dowling, Thomas M. Murray, and Andrei Ramniceanu | May-June 2012   | 371      |
| database          | Artificial Intelligence Model for Early-Age Autogenous Shrinkage of Concrete                               | 109-M33   | Moncef L. Nehdi and Ahmed M. Soliman  | May-June 2012   | 353      |
| density           | Use of Relatively High Fe <sub>2</sub> O <sub>3</sub> Steel Slag as Coarse Aggregate in Concrete           | 109-M45   | Hisham Qasrawi  | July-Aug. 2012  | 471      |
| design equations  | Empirical Equations for Mechanical Properties of Ca(OH) <sub>2</sub> -Based Alkali-Activated Slag Concrete | 109-M41   | Keun-Hyeok Yang and Jin-Kyu Song  | July-Aug. 2012  | 431      |
| deterioration     | Accelerating Standard Test Method for Assessing Corrosion of Steel in Concrete                             | 109-M40   | Ceki Halmen and David Trejo   | July-Aug. 2012  | 421      |



| Keywords                        | Paper Title  | Paper No. | Author Names  | Month/Year      | Page No. |
|---------------------------------|--|-----------|---|-----------------|----------|
| digital image correlation (DIC) | Crack Propagation in Recycled Aggregate Concrete under Uniaxial Compressive Loading                                    | 109-M43   | Jianzhuang Xiao, Wengui Li, Zhihui Sun, and Surendra P. Shah                              | July-Aug. 2012  | 451      |
| drying                          | Early-Age Shrinkage of Ultra-High-Performance Concrete under Drying/Wetting Cycles and Submerged Conditions            | 109-M13   | Ahmed Soliman and Moncef Nehdi  | Mar.-Apr. 2012  | 131      |
| drying shrinkage                | Effect of Phase-Change Materials on Properties of Concrete   | 109-M08   | Pania Meshgin and Yunping Xi  | Jan.-Feb. 2012  | 71       |
| drying shrinkage                | Investigation of Properties of Engineered Cementitious Composites Incorporating High Volumes of Fly Ash and Metakaolin | 109-M55   | E. Özbay, O. Karahan, M. Lachemi, K. M. A. Hossain, and C. Duran Atiş                     | Sept.-Oct. 2012 | 565      |
| drying shrinkage                | Performance of Portland/Silica Fume Cement Concrete Produced with Recycled Concrete Aggregate                          | 109-M10   | Mukesh Limbachiya, Mohammed Seddik Meddah, and Youssef Ouchagour                          | Jan.-Feb. 2012  | 91       |
| drying/wetting cycles           | Early-Age Shrinkage of Ultra-High-Performance Concrete under Drying/Wetting Cycles and Submerged Conditions            | 109-M13   | Ahmed Soliman and Moncef Nehdi  | Mar.-Apr. 2012  | 131      |
| ductility                       | Combined Effect of Aggregate and Mineral Admixtures on Tensile Ductility of Engineered Cementitious Composites         | 109-M61   | Mustafa Şahmaran, Hasan E. Yücel, Serhat Demirhan, Mehmet T. Arık, and Victor C. Li       | Nov.-Dec. 2012  | 627      |
| durability                      | A First-Cut Field Method to Evaluate Limestone Aggregate Durability  | 109-M54   | Julienne Ruth Emry, Robert H. Goldstein, and Evan K. Franseen                             | Sept.-Oct. 2012 | 557      |
| durability                      | Fresh, Mechanical, Transport, and Durability Properties of Self-Consolidating Rubberized Concrete                      | 109-M39   | Okan Karahan, Erdoğan Özbay, Khandaker M. A. Hossain, Mohamed Lachemi, and Cengiz D. Atiş | July-Aug. 2012  | 413      |
| durability                      | Influence of Environment on Durability of Fly Ash Cement Mortars   | 109-M63   | J. Marcos Ortega, Isidro Sánchez, Carlos Antón, Guillem de Vera, and Miguel A. Climent    | Nov.-Dec. 2012  | 647      |
| durability                      | Investigation of Properties of Engineered Cementitious Composites Incorporating High Volumes of Fly Ash and Metakaolin | 109-M55   | E. Özbay, O. Karahan, M. Lachemi, K. M. A. Hossain, and C. Duran Atiş                     | Sept.-Oct. 2012 | 565      |
| durability                      | Optimized Gel Pat Test for Detection of Alkali-Reactive Aggregates   | 109-M38   | Victor Lanza and Pilar Alaejos  | July-Aug. 2012  | 403      |
| durability                      | Performance of Portland/Silica Fume Cement Concrete Produced with Recycled Concrete Aggregate                          | 109-M10   | Mukesh Limbachiya, Mohammed Seddik Meddah, and Youssef Ouchagour                          | Jan.-Feb. 2012  | 91       |
| durability performance          | Concrete Made with Coarse Concrete Aggregate: Influence of Curing on Durability  | 109-M20   | Pedro Amorim, Jorge de Brito, and Luís Evangelista  | Mar.-Apr. 2012  | 195      |



| Keywords                            | Paper Title   | Paper No. | Author Names  | Month/Year      | Page No. |
|-------------------------------------|---|-----------|---|-----------------|----------|
| dwelling period                     | Energy-Based Analysis of Nanoindentation Curves for Cementitious Materials                                  | 109-M09   | Kaushal K. Jha, Nakin Suksawang, Debrupa Lahiri, and Arvind Agarwal                         | Jan.-Feb. 2012  | 81       |
| dynamic axial tension               | Experimental Study on Dynamic Axial Tensile Mechanical Properties of Concrete and Its Components            | 109-M50   | Shengxing Wu, Yao Wang, Dejian Shen, and Jikai Zhou   | Sept.-Oct. 2012 | 517      |
| dynamic loading                     | Development of Frangible Concrete to Reduce Blast-Related Casualties  | 109-M04   | Edward F. O'Neil, Weiguo Shen, Hamlin M. Jennings, Jeffrey J. Thomas, and Toney Cummins     | Jan.-Feb. 2012  | 31       |
| dynamic modulus of elasticity       | Mechanical Properties and Durability of Ultra-High-Performance Concrete                                     | 109-M18   | Cornelia Magureanu, Ioan Sosa, Camelia Negrutiu, and Bogdan Heghes                          | Mar.-Apr. 2012  | 177      |
| early age                           | Artificial Intelligence Model for Early-Age Autogenous Shrinkage of Concrete                                | 109-M33   | Moncef L. Nehdi and Ahmed M. Soliman  | May-June 2012   | 353      |
| early age                           | Early-Age Shrinkage of Ultra-High-Performance Concrete under Drying/Wetting Cycles and Submerged Conditions | 109-M13   | Ahmed Soliman and Moncef Nehdi  | Mar.-Apr. 2012  | 131      |
| early ages                          | Early-Age Creep of Mass Concrete: Effects of Chemical and Mineral Admixtures                                | 109-M52   | Sergio Botassi dos Santos, Luiz Carlos Pinto da Silva Filho, and João Luiz Calmon           | Sept.-Oct. 2012 | 537      |
| effective stress                    | Hydraulic Pressure Cracking in Rail Seats of Concrete Crossties   | 109-M62   | John C. Zeman, J. Riley Edwards, David A. Lange, and Christopher P. L. Barkan               | Nov.-Dec. 2012  | 639      |
| elastic modulus                     | Evaluation of Elastic Modulus for High-Strength Concrete  | 109-M29   | Hugues M. Vogel and Dagmar Svecova  | May-June 2012   | 313      |
| elastic modulus                     | High Temperature Mechanical Properties of High-Strength Fly Ash Concrete with and without Fibers            | 109-M65   | Wasim Khaliq and Venkatesh Kodur  | Nov.-Dec. 2012  | 665      |
| electrochemical                     | Corrosion Performance of Reactive-Enamel Coated Reinforcing Steel   | 109-M42   | Charles R. Werner, Jeffery S. Volz, Genda Chen, Richard K. Brow, and Michael L. Koenigstein | July-Aug. 2012  | 441      |
| electrochemical chloride extraction | Corrosion Mitigation in Reinforced Concrete Beams via Nanoparticle Treatment                                | 109-M60   | Kunal Kupwade-Patil, Henry E. Cardenas, Kanielle Gordon, and Luke S. Lee                    | Nov.-Dec. 2012  | 617      |
| electrokinetic                      | Corrosion Mitigation in Reinforced Concrete Beams via Nanoparticle Treatment                                | 109-M60   | Kunal Kupwade-Patil, Henry E. Cardenas, Kanielle Gordon, and Luke S. Lee                    | Nov.-Dec. 2012  | 617      |
| electromagnetic characteristics     | Electromagnetic Characteristics of Cement Matrix Materials with Carbon Nanotubes                            | 109-M34   | I. W. Nam, H. K. Lee, J. B. Sim, and S. M. Choi   | May-June 2012   | 363      |

| Keywords                                  | Paper Title  | Paper No. | Author Names  | Month/Year      | Page No. |
|---|--|-----------|---|-----------------|----------|
| elevated temperature                      | Relative Compressive Strength of Concretes under Elevated Temperatures   | 109-M17   | Erdogan Özbay and Mohamed Lachemi   | Mar.-Apr. 2012  | 165      |
| elongation                                | Apparent Thermal Coefficient of Expansion of Concrete Building with Restraint  | 109-M07   | Magued Iskander, Saumil Parikh, and Walid Aboumoussa  | Jan.-Feb. 2012  | 63       |
| energy                                    | Effect of Vibration Amplitude on Concrete with Damping Additives   | 109-M35   | Adam G. Bowland, Richard E. Weyers, Finley A. Charney, Norman E. Dowling, Thomas M. Murray, and Andrei Ramniceanu | May-June 2012   | 371      |
| energy ratios                             | Energy-Based Analysis of Nanoindentation Curves for Cementitious Materials   | 109-M09   | Kaushal K. Jha, Nakin Suksawang, Debrupa Lahiri, and Arvind Agarwal   | Jan.-Feb. 2012  | 81       |
| engineered cementitious composites        | Combined Effect of Aggregate and Mineral Admixtures on Tensile Ductility of Engineered Cementitious Composites         | 109-M61   | Mustafa Şahmaran, Hasan E. Yücel, Serhat Demirhan, Mehmet T. Arık, and Victor C. Li                               | Nov.-Dec. 2012  | 627      |
| engineered cementitious composites        | Investigation of Properties of Engineered Cementitious Composites Incorporating High Volumes of Fly Ash and Metakaolin | 109-M55   | E. Özbay, O. Karahan, M. Lachemi, K. M. A. Hossain, and C. Duran Atiş   | Sept.-Oct. 2012 | 565      |
| environmental conditions                  | Influence of Environment on Durability of Fly Ash Cement Mortars   | 109-M63   | J. Marcos Ortega, Isidro Sánchez, Carlos Antón, Guillem de Vera, and Miguel A. Climent                            | Nov.-Dec. 2012  | 647      |
| epoxy                                     | Corrosion Performance of Reactive-Enamel Coated Reinforcing Steel  | 109-M42   | Charles R. Werner, Jeffery S. Volz, Genda Chen, Richard K. Brow, and Michael L. Koenigstein                       | July-Aug. 2012  | 441      |
| epoxy                                     | Creep Testing of Epoxy-Bonded Reinforcing Bar Couplers   | 109-M47   | Griffin Brungraber  | Sept.-Oct. 2012 | 499      |
| equivalent bond strength                  | Pullout Behavior of High-Strength Steel Fibers Embedded in Ultra-High-Performance Concrete                             | 109-M46   | Kay Wille and Antoine E. Naaman   | July-Aug. 2012  | 479      |
| expanded polystyrene lightweight concrete | Comparing Lightweight Polystyrene Concrete Using Engineered or Waste Materials   | 109-M11   | Matthew Trussoni, Carol D. Hays, and Ronald F. Zollo  | Jan.-Feb. 2012  | 101      |
| expansion                                 | Do Current Laboratory Test Methods Accurately Predict Alkali-Silica Reactivity?  | 109-M37   | Jason H. Ideker, Anthony F. Bentivegna, Kevin J. Folliard, and Maria C. G. Juenger                                | July-Aug. 2012  | 395      |
| expansion joint                           | Apparent Thermal Coefficient of Expansion of Concrete Building with Restraint  | 109-M07   | Magued Iskander, Saumil Parikh, and Walid Aboumoussa  | Jan.-Feb. 2012  | 63       |
| failure mechanism                         | Experimental Study on Dynamic Axial Tensile Mechanical Properties of Concrete and Its Components                       | 109-M50   | Shengxing Wu, Yao Wang, Dejian Shen, and Jikai Zhou   | Sept.-Oct. 2012 | 517      |

| Keywords                  | Paper Title  | Paper No. | Author Names   | Month/Year      | Page No. |
|---------------------------|--|-----------|--|-----------------|----------|
| failure pattern           | Mechanical Characterization of Concrete Roof Tiles   | 109-M02   | María Isabel Sánchez de Rojas, Félix P. Marín, and Ana María Martín        | Jan.-Feb. 2012  | 11       |
| fatigue                   | Low-Cycle Fatigue of Oil Well Cements in Compression   | 109-M19   | Xueyu Pang, Robert Darbe, Kris Ravi, and Christian Meyer                   | Mar.-Apr. 2012  | 185      |
| fatigue life              | Fatigue Analysis of Plain and Fiber-Reinforced Self-Consolidating Concrete   | 109-M56   | S. Goel, S. P. Singh, and P. Singh   | Sept.-Oct. 2012 | 573      |
| fiber orientation         | Effect of Beam Size, Casting Method, and Support Conditions on Flexural Behavior of Ultra-High-Performance Fiber-Reinforced Concrete | 109-M36   | Kay Wille and Gustavo J. Parra-Montesinos                                  | May-June 2012   | 379      |
| fiber reinforcement       | Long-Term Behavior of Cracked Steel Fiber-Reinforced Concrete Beams under Sustained Loading  | 109-M22   | Raúl L. Zerbino and Bryan E. Barragán                                      | Mar.-Apr. 2012  | 215      |
| fire resistance           | Effect of Transient Creep on Behavior of Reinforced Concrete Beams in a Fire   | 109-M59   | Arezki Sadaoui and Amar Khennane   | Nov.-Dec. 2012  | 607      |
| fire resistance           | High Temperature Mechanical Properties of High-Strength Fly Ash Concrete with and without Fibers                                     | 109-M65   | Wasim Khaliq and Venkatesh Kodur   | Nov.-Dec. 2012  | 665      |
| flexural                  | Effect of Phase-Change Materials on Properties of Concrete   | 109-M08   | Pania Meshgin and Yunping Xi   | Jan.-Feb. 2012  | 71       |
| flexural bond strength    | Effect of Using Mortar Interface and Overlays on Masonry Behavior by Using Taguchi Method  | 109-M49   | Mariam Farouk Ghazy  | Sept.-Oct. 2012 | 509      |
| flexural strength         | Effect of Beam Size, Casting Method, and Support Conditions on Flexural Behavior of Ultra-High-Performance Fiber-Reinforced Concrete | 109-M36   | Kay Wille and Gustavo J. Parra-Montesinos                                  | May-June 2012   | 379      |
| flexural test             | Proposed Flexural Test Method and Associated Inverse Analysis for Ultra-High-Performance Fiber-Reinforced Concrete                   | 109-M53   | Florent Baby, Benjamin Graybeal, Pierre Marchand, and François Toutlemonde | Sept.-Oct. 2012 | 545      |
| flexural toughness factor | Influence of Specimen Size and Fiber Content on Mechanical Properties of Ultra-High-Performance Fiber-Reinforced Concrete            | 109-M66   | Sadegh Kazemi and Adam S. Lubell   | Nov.-Dec. 2012  | 675      |
| flowability               | Analysis of L-Box Test for Tremie Pipe Concrete  | 109-M28   | Habib Alehossein, Karsten Beckhaus, and Martin Larisch                     | May-June 2012   | 303      |

| Keywords                        | Paper Title   | Paper No. | Author Names   | Month/Year      | Page No. |
|---------------------------------|---|-----------|--|-----------------|----------|
| fly ash                         | Effects of Additives on Properties of Rapid-Setting Controlled Low-Strength Material Mixtures                                   | 109-M03   | Lianxiang Du, Kevin J. Folliard, and Thanos Drimalas   | Jan.-Feb. 2012  | 21       |
| fly ash                         | Influence of Environment on Durability of Fly Ash Cement Mortars  | 109-M63   | J. Marcos Ortega, Isidro Sánchez, Carlos Antón, Guillem de Vera, and Miguel A. Climent         | Nov.-Dec. 2012  | 647      |
| fly ash                         | Potential Recycling of Bottom and Fly Ashes in Acoustic Mortars and Concretes   | 109-M51   | Carlos Leiva, Luis F. Vilches, Celia Arenas, Silvia Delgado, and Constantino Fernández-Pereira | Sept.-Oct. 2012 | 529      |
| fly ash concrete                | High Temperature Mechanical Properties of High-Strength Fly Ash Concrete with and without Fibers                                | 109-M65   | Wasim Khaliq and Venkatesh Kodur   | Nov.-Dec. 2012  | 665      |
| Fourier                         | Analysis of L-Box Test for Tremie Pipe Concrete   | 109-M28   | Habib Alehossein, Karsten Beckhaus, and Martin Larisch   | May-June 2012   | 303      |
| fracture surface                | Fracture Surface-Based Toughness Modeling of Cement-Based Materials   | 109-M05   | Anne B. (Abell) Nichols and David A. Lange   | Jan.-Feb. 2012  | 41       |
| frangibility index              | Development of Frangible Concrete to Reduce Blast-Related Casualties  | 109-M04   | Edward F. O'Neil, Weiguo Shen, Hamlin M. Jennings, Jeffrey J. Thomas, and Toney Cummins        | Jan.-Feb. 2012  | 31       |
| frangible concrete              | Development of Frangible Concrete to Reduce Blast-Related Casualties  | 109-M04   | Edward F. O'Neil, Weiguo Shen, Hamlin M. Jennings, Jeffrey J. Thomas, and Toney Cummins        | Jan.-Feb. 2012  | 31       |
| freezing and thawing            | Mechanical Properties and Durability of Ultra-High-Performance Concrete   | 109-M18   | Cornelia Magureanu, Ioan Sosa, Camelia Negrutiu, and Bogdan Heghes                             | Mar.-Apr. 2012  | 177      |
| freezing-and-thawing resistance | A First-Cut Field Method to Evaluate Limestone Aggregate Durability   | 109-M54   | Julienne Ruth Emry, Robert H. Goldstein, and Evan K. Franseen                                  | Sept.-Oct. 2012 | 557      |
| gamma-ray spectrometry          | A First-Cut Field Method to Evaluate Limestone Aggregate Durability   | 109-M54   | Julienne Ruth Emry, Robert H. Goldstein, and Evan K. Franseen                                  | Sept.-Oct. 2012 | 557      |
| gel water                       | Cement Chemical Shrinkage as Measure of Hydration Kinetics and Its Relationship with Nonevaporable Water                        | 109-M32   | Xueyu Pang and Christian Meyer   | May-June 2012   | 341      |
| geopolymer                      | Effect of Na <sub>2</sub> SiO <sub>3</sub> /NaOH Ratios and NaOH Molarities on Compressive Strength of Fly-Ash-Based Geopolymer | 109-M48   | A. M. Mustafa Al Bakri, H. Kamarudin, M. Bnhussain, A. R. Rafiza, and Y. Zarina                | Sept.-Oct. 2012 | 503      |
| geopolymer                      | Oxygen and Chloride Permeability of Alkali-Activated Natural Pozzolan Concrete  | 109-M06   | Dali Bondar, Cyril J. Lynsdale, Neil B. Milestone, and Nemat Hassani                           | Jan.-Feb. 2012  | 53       |

| Keywords  | Paper Title  | Paper No. | Author Names  | Month/Year     | Page No. |
|---|--|-----------|---|----------------|----------|
| ground-granulated blast-furnace slag                              | Development of Frangible Concrete to Reduce Blast-Related Casualties                                       | 109-M04   | Edward F. O'Neil, Weiguo Shen, Hamlin M. Jennings, Jeffrey J. Thomas, and Toney Cummins           | Jan.-Feb. 2012 | 31       |
| ground-granulated blast-furnace slag                              | Empirical Equations for Mechanical Properties of Ca(OH) <sub>2</sub> -Based Alkali-Activated Slag Concrete | 109-M41   | Keun-Hyeok Yang and Jin-Kyu Song  | July-Aug. 2012 | 431      |
| gypsum  | Effects of Additives on Properties of Rapid-Setting Controlled Low-Strength Material Mixtures              | 109-M03   | Lianxiang Du, Kevin J. Folliard, and Thanos Drimalas  | Jan.-Feb. 2012 | 21       |
| hardened state properties   | Comparing Lightweight Polystyrene Concrete Using Engineered or Waste Materials                             | 109-M11   | Matthew Trussoni, Carol D. Hays, and Ronald F. Zollo  | Jan.-Feb. 2012 | 101      |
| heat of hydration   | Modeling Hydration of Cementitious Systems   | 109-M23   | Kyle A. Riding, Jonathan L. Poole, Kevin J. Folliard, Maria C. G. Juenger, and Anton K. Schindler | Mar.-Apr. 2012 | 225      |
| hemihydrates  | Effects of Additives on Properties of Rapid-Setting Controlled Low-Strength Material Mixtures              | 109-M03   | Lianxiang Du, Kevin J. Folliard, and Thanos Drimalas  | Jan.-Feb. 2012 | 21       |
| high performance  | Development of Frangible Concrete to Reduce Blast-Related Casualties                                       | 109-M04   | Edward F. O'Neil, Weiguo Shen, Hamlin M. Jennings, Jeffrey J. Thomas, and Toney Cummins           | Jan.-Feb. 2012 | 31       |
| high-performance concrete   | Monotonic and Cyclic Behavior of High-Strength Concrete with Polypropylene Fibers at High Temperature      | 109-M30   | Eddie Siu-Shu Lam, Bo Wu, Qun Liu, and Ivy Fung-Yuen Ho   | May-June 2012  | 323      |
| high-performance fiber-reinforced cementitious composite (HPFRCC) | Pullout Behavior of High-Strength Steel Fibers Embedded in Ultra-High-Performance Concrete                 | 109-M46   | Kay Wille and Antoine E. Naaman   | July-Aug. 2012 | 479      |
| high-range water-reducing admixture                               | Effect of Metakaolin and Silica Fume on Rheology of Self-Consolidating Concrete                            | 109-M64   | Assem A. A. Hassan, Mohamed Lachemi, and Khandaker M. A. Hossain                                  | Nov.-Dec. 2012 | 657      |
| high-strength concrete  | Evaluation of Elastic Modulus for High-Strength Concrete   | 109-M29   | Hugues M. Vogel and Dagmar Svecova  | May-June 2012  | 313      |
| high temperature  | High Temperature Resistance of Alkali-Activated Slag- and Portland Cement-Based Reactive Powder Concrete   | 109-M44   | Serdar Aydın and Bülent Baradan   | July-Aug. 2012 | 463      |
| high temperature  | Relative Compressive Strength of Concretes under Elevated Temperatures                                     | 109-M17   | Erdogan Özbay and Mohamed Lachemi   | Mar.-Apr. 2012 | 165      |
| high temperature properties                                       | High Temperature Mechanical Properties of High-Strength Fly Ash Concrete with and without Fibers           | 109-M65   | Wasim Khaliq and Venkatesh Kodur  | Nov.-Dec. 2012 | 665      |

| Keywords                    | Paper Title  | Paper No. | Author Names  | Month/Year      | Page No. |
|-----------------------------|--|-----------|---|-----------------|----------|
| hooked fiber                | Pullout Behavior of High-Strength Steel Fibers Embedded in Ultra-High-Performance Concrete                         | 109-M46   | Kay Wille and Antoine E. Naaman   | July-Aug. 2012  | 479      |
| hydration kinetics          | Cement Chemical Shrinkage as Measure of Hydration Kinetics and Its Relationship with Nonevaporable Water           | 109-M32   | Xueyu Pang and Christian Meyer  | May-June 2012   | 341      |
| image analysis              | Fracture Surface-Based Toughness Modeling of Cement-Based Materials  | 109-M05   | Anne B. (Abell) Nichols and David A. Lange  | Jan.-Feb. 2012  | 41       |
| industrial pollutant        | Corrosion Prevention of Reinforced Concrete with Microbial Calcite Precipitation                                   | 109-M16   | Varenyam Achal, Abhijit Mukherjee, Shweta Goyal, and M. Sudhakara Reddy   | Mar.-Apr. 2012  | 157      |
| infiltration rate           | Vertical Distribution of Sediments in Pervious Concrete Pavement Systems   | 109-M15   | Luis A. Mata and Michael L. Leming  | Mar.-Apr. 2012  | 149      |
| initial static load         | Experimental Study on Dynamic Axial Tensile Mechanical Properties of Concrete and Its Components                   | 109-M50   | Shengxing Wu, Yao Wang, Dejian Shen, and Jikai Zhou   | Sept.-Oct. 2012 | 517      |
| initial unloading stiffness | Energy-Based Analysis of Nanoindentation Curves for Cementitious Materials   | 109-M09   | Kaushal K. Jha, Nakin Saksawang, Debrupa Lahiri, and Arvind Agarwal   | Jan.-Feb. 2012  | 81       |
| instrumentation             | Apparent Thermal Coefficient of Expansion of Concrete Building with Restraint                                      | 109-M07   | Magued Iskander, Saumil Parikh, and Walid Aboumoussa  | Jan.-Feb. 2012  | 63       |
| inverse analysis            | Inverse Analysis Method for Concrete Shrinkage Prediction from Short-Term Tests                                    | 109-M27   | Mohammad Shekarchi, Farnam Ghasemzadeh, and Siavash Sajedi  | May-June 2012   | 293      |
| inverse analysis            | Proposed Flexural Test Method and Associated Inverse Analysis for Ultra-High-Performance Fiber-Reinforced Concrete | 109-M53   | Florent Baby, Benjamin Graybeal, Pierre Marchand, and François Toutlemonde  | Sept.-Oct. 2012 | 545      |
| joint meter                 | Apparent Thermal Coefficient of Expansion of Concrete Building with Restraint                                      | 109-M07   | Magued Iskander, Saumil Parikh, and Walid Aboumoussa  | Jan.-Feb. 2012  | 63       |
| latex                       | Effect of Vibration Amplitude on Concrete with Damping Additives   | 109-M35   | Adam G. Bowland, Richard E. Weyers, Finley A. Charney, Norman E. Dowling, Thomas M. Murray, and Andrei Ramniceanu | May-June 2012   | 371      |
| L-box                       | Effect of Metakaolin and Silica Fume on Rheology of Self-Consolidating Concrete                                    | 109-M64   | Assem A. A. Hassan, Mohamed Lachemi, and Khandaker M. A. Hossain  | Nov.-Dec. 2012  | 657      |
| leaching                    | Potential Recycling of Bottom and Fly Ashes in Acoustic Mortars and Concretes                                      | 109-M51   | Carlos Leiva, Luis F. Vilches, Celia Arenas, Silvia Delgado, and Constantino Fernández-Pereira                    | Sept.-Oct. 2012 | 529      |

| Keywords                    | Paper Title  | Paper No. | Author Names  | Month/Year      | Page No. |
|-----------------------------|--|-----------|---|-----------------|----------|
| length-to-diameter ratio    | Distributions of Compressive Strength Obtained from Various Diameter Cores                                     | 109-M58   | Ahmet Ozan Celik, Kadir Kilinc, Mustafa Tuncan, and Ahmet Tuncan                          | Nov.-Dec. 2012  | 597      |
| long-term behavior          | Long-Term Behavior of Cracked Steel Fiber-Reinforced Concrete Beams under Sustained Loading                    | 109-M22   | Raúl L. Zerbino and Bryan E. Barragán   | Mar.-Apr. 2012  | 215      |
| long-term prediction        | Inverse Analysis Method for Concrete Shrinkage Prediction from Short-Term Tests                                | 109-M27   | Mohammad Shekarchi, Farnam Ghasemzadeh, and Siavash Sajedi                                | May-June 2012   | 293      |
| low-alkali cement           | Do Current Laboratory Test Methods Accurately Predict Alkali-Silica Reactivity?                                | 109-M37   | Jason H. Ideker, Anthony F. Bentivegna, Kevin J. Folliard, and Maria C. G. Juenger        | July-Aug. 2012  | 395      |
| manufactured spherical bead | Comparing Lightweight Polystyrene Concrete Using Engineered or Waste Materials                                 | 109-M11   | Matthew Trussoni, Carol D. Hays, and Ronald F. Zollo                                      | Jan.-Feb. 2012  | 101      |
| masonry walls               | Effect of Using Mortar Interface and Overlays on Masonry Behavior by Using Taguchi Method                      | 109-M49   | Mariam Farouk Ghazy   | Sept.-Oct. 2012 | 509      |
| mass concrete               | Early-Age Creep of Mass Concrete: Effects of Chemical and Mineral Admixtures                                   | 109-M52   | Sergio Botassi dos Santos, Luiz Carlos Pinto da Silva Filho, and João Luiz Calmon         | Sept.-Oct. 2012 | 537      |
| material design             | Particle Packing-Based Material Design Methodology for Pervious Concretes                                      | 109-M21   | Milani S. Sumanasooriya, Omkar Deo, and Narayanan Neithalath                              | Mar.-Apr. 2012  | 205      |
| mechanical performance      | Concrete with Used Tire Rubber Aggregates: Mechanical Performance  | 109-M26   | Filipe Valadares, Miguel Bravo, and Jorge de Brito  | May-June 2012   | 283      |
| mechanical properties       | Combined Effect of Aggregate and Mineral Admixtures on Tensile Ductility of Engineered Cementitious Composites | 109-M61   | Mustafa Şahmaran, Hasan E. Yücel, Serhat Demirhan, Mehmet T. Arık, and Victor C. Li       | Nov.-Dec. 2012  | 627      |
| mechanical properties       | Empirical Equations for Mechanical Properties of Ca(OH) <sub>2</sub> -Based Alkali-Activated Slag Concrete     | 109-M41   | Keun-Hyeok Yang and Jin-Kyu Song  | July-Aug. 2012  | 431      |
| mechanical properties       | Fresh, Mechanical, Transport, and Durability Properties of Self-Consolidating Rubberized Concrete              | 109-M39   | Okan Karahan, Erdoğan Özbay, Khandaker M. A. Hossain, Mohamed Lachemi, and Cengiz D. Atiş | July-Aug. 2012  | 413      |
| mechanical properties       | High Temperature Mechanical Properties of High-Strength Fly Ash Concrete with and without Fibers               | 109-M65   | Wasim Khaliq and Venkatesh Kodur  | Nov.-Dec. 2012  | 665      |
| mechanical properties       | High Temperature Resistance of Alkali-Activated Slag- and Portland Cement-Based Reactive Powder Concrete       | 109-M44   | Serdar Aydın and Bülent Baradan   | July-Aug. 2012  | 463      |



| Keywords                                  | Paper Title   | Paper No. | Author Names  | Month/Year      | Page No. |
|---|---|-----------|---|-----------------|----------|
| mechanical properties                     | Mechanical Characterization of Concrete Roof Tiles  | 109-M02   | María Isabel Sánchez de Rojas, Félix P. Marín, and Ana María Martín                     | Jan.-Feb. 2012  | 11       |
| mechanical properties                     | Monotonic and Cyclic Behavior of High-Strength Concrete with Polypropylene Fibers at High Temperature                     | 109-M30   | Eddie Siu-Shu Lam, Bo Wu, Qun Liu, and Ivy Fung-Yuen Ho                                 | May-June 2012   | 323      |
| mechanical properties                     | Performance of Portland/Silica Fume Cement Concrete Produced with Recycled Concrete Aggregate                             | 109-M10   | Mukesh Limbachiya, Mohammed Seddik Meddah, and Youssef Ouchagour                        | Jan.-Feb. 2012  | 91       |
| metakaolin                                | Effect of Metakaolin and Silica Fume on Rheology of Self-Consolidating Concrete   | 109-M64   | Assem A. A. Hassan, Mohamed Lachemi, and Khandaker M. A. Hossain                        | Nov.-Dec. 2012  | 657      |
| metakaolin                                | Investigation of Properties of Engineered Cementitious Composites Incorporating High Volumes of Fly Ash and Metakaolin    | 109-M55   | E. Özbay, O. Karahan, M. Lachemi, K. M. A. Hossain, and C. Duran Atiş                   | Sept.-Oct. 2012 | 565      |
| microbially induced calcite precipitation | Corrosion Prevention of Reinforced Concrete with Microbial Calcite Precipitation  | 109-M16   | Varenyam Achal, Abhijit Mukherjee, Shweta Goyal, and M. Sudhakara Reddy                 | Mar.-Apr. 2012  | 157      |
| microcracking                             | Development of Frangible Concrete to Reduce Blast-Related Casualties  | 109-M04   | Edward F. O'Neil, Weiguo Shen, Hamlin M. Jennings, Jeffrey J. Thomas, and Toney Cummins | Jan.-Feb. 2012  | 31       |
| microcracking                             | Surface Wave Velocity-Stress Relationship in Uniaxially Loaded Concrete   | 109-M14   | Parisa Shokouhi, Andreas Zoëga, Herbert Wiggensauser, and Gregor Fischer                | Mar.-Apr. 2012  | 141      |
| microstructure                            | High Temperature Resistance of Alkali-Activated Slag- and Portland Cement-Based Reactive Powder Concrete                  | 109-M44   | Serdar Aydın and Bülent Baradan   | July-Aug. 2012  | 463      |
| mineral admixtures                        | Combined Effect of Aggregate and Mineral Admixtures on Tensile Ductility of Engineered Cementitious Composites            | 109-M61   | Mustafa Şahmaran, Hasan E. Yücel, Serhat Demirhan, Mehmet T. Arık, and Victor C. Li     | Nov.-Dec. 2012  | 627      |
| mineral admixtures                        | Early-Age Creep of Mass Concrete: Effects of Chemical and Mineral Admixtures  | 109-M52   | Sergio Botassi dos Santos, Luiz Carlos Pinto da Silva Filho, and João Luiz Calmon       | Sept.-Oct. 2012 | 537      |
| mixing energy                             | Influence of Specimen Size and Fiber Content on Mechanical Properties of Ultra-High-Performance Fiber-Reinforced Concrete | 109-M66   | Sadegh Kazemi and Adam S. Lubell  | Nov.-Dec. 2012  | 675      |
| model estimation                          | Mechanical Properties of Self-Consolidating Concrete Using Conventional Concrete Models                                   | 109-M57   | Angel Vilanova, Jaime Fernández-Gómez, and Galit Agranati Landsberger                   | Nov.-Dec. 2012  | 587      |
| model of progress                         | Concrete Carbonation as a Limited Process and Its Relevance to Concrete Cover Thickness                                   | 109-M25   | Lech Czarnecki and Piotr Woyciechowski  | May-June 2012   | 275      |

| Keywords                                     | Paper Title   | Paper No. | Author Names  | Month/Year      | Page No. |
|--|---|-----------|---|-----------------|----------|
| model verification                           | Oxygen Transport and Corrosion of Steel in Concrete under Varying Concrete Cover, <i>w/c</i> , and Moisture                     | 109-M01   | Raja Rizwan Hussain, Tetsuya Ishida, and Muhammad Wasim   | Jan.-Feb. 2012  | 3        |
| modeled recycled aggregate concrete (MRAC)   | Crack Propagation in Recycled Aggregate Concrete under Uniaxial Compressive Loading   | 109-M43   | Jianzhuang Xiao, Wengui Li, Zhihui Sun, and Surendra P. Shah                                      | July-Aug. 2012  | 451      |
| modeling                                     | Artificial Intelligence Model for Early-Age Autogenous Shrinkage of Concrete  | 109-M33   | Moncef L. Nehdi and Ahmed M. Soliman  | May-June 2012   | 353      |
| modeling                                     | Fracture Surface-Based Toughness Modeling of Cement-Based Materials   | 109-M05   | Anne B. (Abell) Nichols and David A. Lange  | Jan.-Feb. 2012  | 41       |
| modeling                                     | Modeling Hydration of Cementitious Systems  | 109-M23   | Kyle A. Riding, Jonathan L. Poole, Kevin J. Folliard, Maria C. G. Juenger, and Anton K. Schindler | Mar.-Apr. 2012  | 225      |
| modeling                                     | Relative Compressive Strength of Concretes under Elevated Temperatures  | 109-M17   | Erdogan Özbay and Mohamed Lachemi   | Mar.-Apr. 2012  | 165      |
| modulus of elasticity                        | Mechanical Properties of Self-Consolidating Concrete Using Conventional Concrete Models   | 109-M57   | Angel Vilanova, Jaime Fernández-Gómez, and Galit Agranati Landsberger                             | Nov.-Dec. 2012  | 587      |
| modulus of rupture                           | Mechanical Properties of Self-Consolidating Concrete Using Conventional Concrete Models   | 109-M57   | Angel Vilanova, Jaime Fernández-Gómez, and Galit Agranati Landsberger                             | Nov.-Dec. 2012  | 587      |
| moisture                                     | Oxygen Transport and Corrosion of Steel in Concrete under Varying Concrete Cover, <i>w/c</i> , and Moisture                     | 109-M01   | Raja Rizwan Hussain, Tetsuya Ishida, and Muhammad Wasim   | Jan.-Feb. 2012  | 3        |
| monitoring                                   | Apparent Thermal Coefficient of Expansion of Concrete Building with Restraint   | 109-M07   | Magued Iskander, Saumil Parikh, and Walid Aboumoussa  | Jan.-Feb. 2012  | 63       |
| mortar                                       | Fracture Surface-Based Toughness Modeling of Cement-Based Materials   | 109-M05   | Anne B. (Abell) Nichols and David A. Lange  | Jan.-Feb. 2012  | 41       |
| Na <sub>2</sub> SiO <sub>3</sub> /NaOH ratio | Effect of Na <sub>2</sub> SiO <sub>3</sub> /NaOH Ratios and NaOH Molarities on Compressive Strength of Fly-Ash-Based Geopolymer | 109-M48   | A. M. Mustafa Al Bakri, H. Kamarudin, M. Bnhussain, A. R. Rafiza, and Y. Zarina                   | Sept.-Oct. 2012 | 503      |
| nanindentation                               | Energy-Based Analysis of Nanindentation Curves for Cementitious Materials   | 109-M09   | Kaushal K. Jha, Nakin Suksawang, Debrupa Lahiri, and Arvind Agarwal                               | Jan.-Feb. 2012  | 81       |
| nanoparticle                                 | Corrosion Mitigation in Reinforced Concrete Beams via Nanoparticle Treatment  | 109-M60   | Kunal Kupwade-Patil, Henry E. Cardenas, Kanielle Gordon, and Luke S. Lee                          | Nov.-Dec. 2012  | 617      |

| Keywords                      | Paper Title   | Paper No. | Author Names   | Month/Year      | Page No. |
|-------------------------------|---|-----------|--|-----------------|----------|
| NaOH molarity                 | Effect of Na <sub>2</sub> SiO <sub>3</sub> /NaOH Ratios and NaOH Molarities on Compressive Strength of Fly-Ash-Based Geopolymer | 109-M48   | A. M. Mustafa Al Bakri, H. Kamarudin, M. Bnhussain, A. R. Rafiza, and Y. Zarina    | Sept.-Oct. 2012 | 503      |
| neural network                | Relative Compressive Strength of Concretes under Elevated Temperatures  | 109-M17   | Erdogan Özbay and Mohamed Lachemi  | Mar.-Apr. 2012  | 165      |
| nib strength                  | Mechanical Characterization of Concrete Roof Tiles  | 109-M02   | María Isabel Sánchez de Rojas, Félix P. Marín, and Ana María Martín                | Jan.-Feb. 2012  | 11       |
| nondestructive testing        | Rebound Hammer, Pulse Velocity, and Core Tests in Self-Consolidating Concrete   | 109-M24   | Lina Rojas-Henao, Jaime Fernández-Gómez, and Juan Carlos López-Agüí                | Mar.-Apr. 2012  | 235      |
| nonevaporable water           | Cement Chemical Shrinkage as Measure of Hydration Kinetics and Its Relationship with Nonevaporable Water                        | 109-M32   | Xueyu Pang and Christian Meyer   | May-June 2012   | 341      |
| oil well cement               | Low-Cycle Fatigue of Oil Well Cements in Compression  | 109-M19   | Xueyu Pang, Robert Darbe, Kris Ravi, and Christian Meyer                           | Mar.-Apr. 2012  | 185      |
| outdoor exposure              | Do Current Laboratory Test Methods Accurately Predict Alkali-Silica Reactivity?   | 109-M37   | Jason H. Ideker, Anthony F. Bentivegna, Kevin J. Folliard, and Maria C. G. Juenger | July-Aug. 2012  | 395      |
| overlay                       | Effect of Using Mortar Interface and Overlays on Masonry Behavior by Using Taguchi Method                                       | 109-M49   | Mariam Farouk Ghazy  | Sept.-Oct. 2012 | 509      |
| oxygen                        | Oxygen Transport and Corrosion of Steel in Concrete under Varying Concrete Cover, w/c, and Moisture                             | 109-M01   | Raja Rizwan Hussain, Tetsuya Ishida, and Muhammad Wasim                            | Jan.-Feb. 2012  | 3        |
| oxygen permeability           | Oxygen and Chloride Permeability of Alkali-Activated Natural Pozzolan Concrete  | 109-M06   | Dali Bondar, Cyril J. Lynsdale, Neil B. Milestone, and Nemat Hassani               | Jan.-Feb. 2012  | 53       |
| partial differential equation | Analysis of L-Box Test for Tremie Pipe Concrete   | 109-M28   | Habib Alehossein, Karsten Beckhaus, and Martin Larisch                             | May-June 2012   | 303      |
| particle packing              | Particle Packing-Based Material Design Methodology for Pervious Concretes   | 109-M21   | Milani S. Sumanasooriya, Omkar Deo, and Narayanan Neithalath                       | Mar.-Apr. 2012  | 205      |
| peak strain                   | Evaluation of Elastic Modulus for High-Strength Concrete  | 109-M29   | Hugues M. Vogel and Dagmar Svecova   | May-June 2012   | 313      |
| permeability                  | Vertical Distribution of Sediments in Pervious Concrete Pavement Systems  | 109-M15   | Luis A. Mata and Michael L. Leming   | Mar.-Apr. 2012  | 149      |

| Keywords                 | Paper Title   | Paper No. | Author Names  | Month/Year      | Page No. |
|--------------------------|---|-----------|---|-----------------|----------|
| pervious concrete        | Particle Packing-Based Material Design Methodology for Pervious Concretes                             | 109-M21   | Milani S. Sumanasooriya, Omkar Deo, and Narayanan Neithalath                  | Mar.-Apr. 2012  | 205      |
| pervious concrete        | Vertical Distribution of Sediments in Pervious Concrete Pavement Systems                              | 109-M15   | Luis A. Mata and Michael L. Leming  | Mar.-Apr. 2012  | 149      |
| petrography              | Optimized Gel Pat Test for Detection of Alkali-Reactive Aggregates                                    | 109-M38   | Victor Lanza and Pilar Alaejos  | July-Aug. 2012  | 403      |
| phase-change material    | Effect of Phase-Change Materials on Properties of Concrete  | 109-M08   | Pania Meshgin and Yunping Xi  | Jan.-Feb. 2012  | 71       |
| plastic state properties | Comparing Lightweight Polystyrene Concrete Using Engineered or Waste Materials                        | 109-M11   | Matthew Trussoni, Carol D. Hays, and Ronald F. Zollo                          | Jan.-Feb. 2012  | 101      |
| plastic viscosity        | Effect of Metakaolin and Silica Fume on Rheology of Self-Consolidating Concrete                       | 109-M64   | Assem A. A. Hassan, Mohamed Lachemi, and Khandaker M. A. Hossain              | Nov.-Dec. 2012  | 657      |
| plastic yield            | Analysis of L-Box Test for Tremie Pipe Concrete   | 109-M28   | Habib Alehossein, Karsten Beckhaus, and Martin Larisch                        | May-June 2012   | 303      |
| Poisson's ratio          | Evaluation of Elastic Modulus for High-Strength Concrete  | 109-M29   | Hugues M. Vogel and Dagmar Svecova  | May-June 2012   | 313      |
| polypropylene fiber      | Monotonic and Cyclic Behavior of High-Strength Concrete with Polypropylene Fibers at High Temperature | 109-M30   | Eddie Siu-Shu Lam, Bo Wu, Qun Liu, and Ivy Fung-Yuen Ho                       | May-June 2012   | 323      |
| polypropylene fibers     | Effect of Using Mortar Interface and Overlays on Masonry Behavior by Using Taguchi Method             | 109-M49   | Mariam Farouk Ghazy   | Sept.-Oct. 2012 | 509      |
| polypropylene fibers     | High Temperature Mechanical Properties of High-Strength Fly Ash Concrete with and without Fibers      | 109-M65   | Wasim Khaliq and Venkatesh Kodur  | Nov.-Dec. 2012  | 665      |
| pore pressure            | Hydraulic Pressure Cracking in Rail Seats of Concrete Crossties                                       | 109-M62   | John C. Zeman, J. Riley Edwards, David A. Lange, and Christopher P. L. Barkan | Nov.-Dec. 2012  | 639      |
| porosity                 | Corrosion Mitigation in Reinforced Concrete Beams via Nanoparticle Treatment                          | 109-M60   | Kunal Kupwade-Patil, Henry E. Cardenas, Kanielle Gordon, and Luke S. Lee      | Nov.-Dec. 2012  | 617      |
| porosity                 | Particle Packing-Based Material Design Methodology for Pervious Concretes                             | 109-M21   | Milani S. Sumanasooriya, Omkar Deo, and Narayanan Neithalath                  | Mar.-Apr. 2012  | 205      |

| Keywords                          | Paper Title  | Paper No. | Author Names  | Month/Year     | Page No. |
|-----------------------------------|--|-----------|---|----------------|----------|
| probability density function      | Distributions of Compressive Strength Obtained from Various Diameter Cores                               | 109-M58   | Ahmet Ozan Celik, Kadir Kilinc, Mustafa Tuncan, and Ahmet Tuncan                            | Nov.-Dec. 2012 | 597      |
| pullout strength                  | Corrosion Prevention of Reinforced Concrete with Microbial Calcite Precipitation                         | 109-M16   | Varenyam Achal, Abhijit Mukherjee, Shweta Goyal, and M. Sudhakara Reddy                     | Mar.-Apr. 2012 | 157      |
| rail seat deterioration           | Hydraulic Pressure Cracking in Rail Seats of Concrete Crossties  | 109-M62   | John C. Zeman, J. Riley Edwards, David A. Lange, and Christopher P. L. Barkan               | Nov.-Dec. 2012 | 639      |
| railroad                          | Hydraulic Pressure Cracking in Rail Seats of Concrete Crossties  | 109-M62   | John C. Zeman, J. Riley Edwards, David A. Lange, and Christopher P. L. Barkan               | Nov.-Dec. 2012 | 639      |
| railway                           | Hydraulic Pressure Cracking in Rail Seats of Concrete Crossties  | 109-M62   | John C. Zeman, J. Riley Edwards, David A. Lange, and Christopher P. L. Barkan               | Nov.-Dec. 2012 | 639      |
| random variations                 | Distributions of Compressive Strength Obtained from Various Diameter Cores                               | 109-M58   | Ahmet Ozan Celik, Kadir Kilinc, Mustafa Tuncan, and Ahmet Tuncan                            | Nov.-Dec. 2012 | 597      |
| rapid-setting CLSM                | Effects of Additives on Properties of Rapid-Setting Controlled Low-Strength Material Mixtures            | 109-M03   | Lianxiang Du, Kevin J. Folliard, and Thanos Drimalas  | Jan.-Feb. 2012 | 21       |
| reactive aggregate                | Do Current Laboratory Test Methods Accurately Predict Alkali-Silica Reactivity?                          | 109-M37   | Jason H. Ideker, Anthony F. Bentivegna, Kevin J. Folliard, and Maria C. G. Juenger          | July-Aug. 2012 | 395      |
| reactive enamel                   | Corrosion Performance of Reactive-Enamel Coated Reinforcing Steel  | 109-M42   | Charles R. Werner, Jeffery S. Volz, Genda Chen, Richard K. Brow, and Michael L. Koenigstein | July-Aug. 2012 | 441      |
| reactive powder concrete          | High Temperature Resistance of Alkali-Activated Slag- and Portland Cement-Based Reactive Powder Concrete | 109-M44   | Serdar Aydın and Bülent Baradan   | July-Aug. 2012 | 463      |
| rebound hammer                    | Rebound Hammer, Pulse Velocity, and Core Tests in Self-Consolidating Concrete                            | 109-M24   | Lina Rojas-Henao, Jaime Fernández-Gómez, and Juan Carlos López-Agüí                         | Mar.-Apr. 2012 | 235      |
| recycled aggregate                | Concrete Made with Coarse Concrete Aggregate: Influence of Curing on Durability                          | 109-M20   | Pedro Amorim, Jorge de Brito, and Luís Evangelista  | Mar.-Apr. 2012 | 195      |
| recycled aggregate concrete (RAC) | Crack Propagation in Recycled Aggregate Concrete under Uniaxial Compressive Loading                      | 109-M43   | Jianzhuang Xiao, Wengui Li, Zhihui Sun, and Surendra P. Shah                                | July-Aug. 2012 | 451      |
| recycled concrete aggregate       | Performance of Portland/Silica Fume Cement Concrete Produced with Recycled Concrete Aggregate            | 109-M10   | Mukesh Limbachiya, Mohammed Seddik Meddah, and Youssef Ouchagour                            | Jan.-Feb. 2012 | 91       |

| Keywords                     | Paper Title  | Paper No. | Author Names  | Month/Year      | Page No. |
|------------------------------|--|-----------|---|-----------------|----------|
| reflection coefficient       | Potential Recycling of Bottom and Fly Ashes in Acoustic Mortars and Concretes  | 109-M51   | Carlos Leiva, Luis F. Vilches, Celia Arenas, Silvia Delgado, and Constantino Fernández-Pereira                    | Sept.-Oct. 2012 | 529      |
| reground waste               | Comparing Lightweight Polystyrene Concrete Using Engineered or Waste Materials   | 109-M11   | Matthew Trussoni, Carol D. Hays, and Ronald F. Zollo  | Jan.-Feb. 2012  | 101      |
| reinforced concrete          | Corrosion Prevention of Reinforced Concrete with Microbial Calcite Precipitation   | 109-M16   | Varenyam Achal, Abhijit Mukherjee, Shweta Goyal, and M. Sudhakara Reddy   | Mar.-Apr. 2012  | 157      |
| reinforced concrete          | Effect of Transient Creep on Behavior of Reinforced Concrete Beams in a Fire   | 109-M59   | Arezki Sadaoui and Amar Khennane  | Nov.-Dec. 2012  | 607      |
| reinforced concrete          | Oxygen Transport and Corrosion of Steel in Concrete under Varying Concrete Cover, <i>w/c</i> , and Moisture                          | 109-M01   | Raja Rizwan Hussain, Tetsuya Ishida, and Muhammad Wasim   | Jan.-Feb. 2012  | 3        |
| reinforcing bar              | Creep Testing of Epoxy-Bonded Reinforcing Bar Couplers   | 109-M47   | Griffin Brungraber  | Sept.-Oct. 2012 | 499      |
| reinforcing steel            | Corrosion Performance of Reactive-Enamel Coated Reinforcing Steel  | 109-M42   | Charles R. Werner, Jeffery S. Volz, Genda Chen, Richard K. Brow, and Michael L. Koenigstein                       | July-Aug. 2012  | 441      |
| relative humidity            | Influence of Environment on Durability of Fly Ash Cement Mortars   | 109-M63   | J. Marcos Ortega, Isidro Sánchez, Carlos Antón, Guillem de Vera, and Miguel A. Climent                            | Nov.-Dec. 2012  | 647      |
| residual strength            | Effect of Beam Size, Casting Method, and Support Conditions on Flexural Behavior of Ultra-High-Performance Fiber-Reinforced Concrete | 109-M36   | Kay Wille and Gustavo J. Parra-Montesinos   | May-June 2012   | 379      |
| roof safety                  | Mechanical Characterization of Concrete Roof Tiles   | 109-M02   | María Isabel Sánchez de Rojas, Félix P. Marín, and Ana María Martín   | Jan.-Feb. 2012  | 11       |
| roof tile performance        | Mechanical Characterization of Concrete Roof Tiles   | 109-M02   | María Isabel Sánchez de Rojas, Félix P. Marín, and Ana María Martín   | Jan.-Feb. 2012  | 11       |
| rubber                       | Effect of Vibration Amplitude on Concrete with Damping Additives   | 109-M35   | Adam G. Bowland, Richard E. Weyers, Finley A. Charney, Norman E. Dowling, Thomas M. Murray, and Andrei Ramniceanu | May-June 2012   | 371      |
| scanning electron microscopy | Effect of Na <sub>2</sub> SiO <sub>3</sub> /NaOH Ratios and NaOH Molarities on Compressive Strength of Fly-Ash-Based Geopolymer      | 109-M48   | A. M. Mustafa Al Bakri, H. Kamarudin, M. Bnhussain, A. R. Rafiza, and Y. Zarina                                   | Sept.-Oct. 2012 | 503      |
| scanning electron microscopy | Optimized Gel Pat Test for Detection of Alkali-Reactive Aggregates   | 109-M38   | Victor Lanza and Pilar Alaejos  | July-Aug. 2012  | 403      |

| Keywords                                     | Paper Title  | Paper No. | Author Names  | Month/Year      | Page No. |
|--|--|-----------|---|-----------------|----------|
| sedimentation                                | Vertical Distribution of Sediments in Pervious Concrete Pavement Systems   | 109-M15   | Luis A. Mata and Michael L. Leming  | Mar.-Apr. 2012  | 149      |
| self-consolidating                           | Effect of Beam Size, Casting Method, and Support Conditions on Flexural Behavior of Ultra-High-Performance Fiber-Reinforced Concrete | 109-M36   | Kay Wille and Gustavo J. Parra-Montesinos   | May-June 2012   | 379      |
| self-consolidating concrete                  | Effect of Metakaolin and Silica Fume on Rheology of Self-Consolidating Concrete  | 109-M64   | Assem A. A. Hassan, Mohamed Lachemi, and Khandaker M. A. Hossain                          | Nov.-Dec. 2012  | 657      |
| self-consolidating concrete                  | Fresh, Mechanical, Transport, and Durability Properties of Self-Consolidating Rubberized Concrete                                    | 109-M39   | Okan Karahan, Erdoğan Özbay, Khandaker M. A. Hossain, Mohamed Lachemi, and Cengiz D. Atiş | July-Aug. 2012  | 413      |
| self-consolidating concrete                  | Mechanical Properties of Self-Consolidating Concrete Using Conventional Concrete Models  | 109-M57   | Angel Vilanova, Jaime Fernández-Gómez, and Galit Agranati Landsberger                     | Nov.-Dec. 2012  | 587      |
| self-consolidating concrete                  | Rebound Hammer, Pulse Velocity, and Core Tests in Self-Consolidating Concrete  | 109-M24   | Lina Rojas-Henao, Jaime Fernández-Gómez, and Juan Carlos López-Agüí                       | Mar.-Apr. 2012  | 235      |
| self-consolidating fiber-reinforced concrete | Fatigue Analysis of Plain and Fiber-Reinforced Self-Consolidating Concrete   | 109-M56   | S. Goel, S. P. Singh, and P. Singh  | Sept.-Oct. 2012 | 573      |
| setting                                      | Setting Time Measurement Using Ultrasonic Wave Reflection  | 109-M12   | Chul-Woo Chung, Prannoy Suraneni, John S. Popovics, and Leslie J. Struble                 | Jan.-Feb. 2012  | 109      |
| shear toughness factor                       | Influence of Specimen Size and Fiber Content on Mechanical Properties of Ultra-High-Performance Fiber-Reinforced Concrete            | 109-M66   | Sadegh Kazemi and Adam S. Lubell  | Nov.-Dec. 2012  | 675      |
| shielding effectiveness                      | Electromagnetic Characteristics of Cement Matrix Materials with Carbon Nanotubes   | 109-M34   | I. W. Nam, H. K. Lee, J. B. Sim, and S. M. Choi   | May-June 2012   | 363      |
| short-term measurements                      | Inverse Analysis Method for Concrete Shrinkage Prediction from Short-Term Tests  | 109-M27   | Mohammad Shekarchi, Farnam Ghasemzadeh, and Siavash Sajedi                                | May-June 2012   | 293      |
| shrinkage                                    | Artificial Intelligence Model for Early-Age Autogenous Shrinkage of Concrete   | 109-M33   | Moncef L. Nehdi and Ahmed M. Soliman  | May-June 2012   | 353      |
| shrinkage                                    | Biaxial Stress due to Shrinkage in Concrete Jackets of Strengthened Columns  | 109-M31   | Andreas P. Lampropoulos, Ourania T. Tsioulou, and Stephanos E. Dritsos                    | May-June 2012   | 331      |



| Keywords              | Paper Title   | Paper No. | Author Names   | Month/Year      | Page No. |
|-----------------------|---|-----------|--|-----------------|----------|
| shrinkage             | Inverse Analysis Method for Concrete Shrinkage Prediction from Short-Term Tests   | 109-M27   | Mohammad Shekarchi, Farnam Ghasemzadeh, and Siavash Sajedi                                     | May-June 2012   | 293      |
| signal-to-noise ratio | Effect of Using Mortar Interface and Overlays on Masonry Behavior by Using Taguchi Method                                 | 109-M49   | Mariam Farouk Ghazy  | Sept.-Oct. 2012 | 509      |
| silica fume           | Effect of Metakaolin and Silica Fume on Rheology of Self-Consolidating Concrete   | 109-M64   | Assem A. A. Hassan, Mohamed Lachemi, and Khandaker M. A. Hossain                               | Nov.-Dec. 2012  | 657      |
| silica fume           | Performance of Portland/Silica Fume Cement Concrete Produced with Recycled Concrete Aggregate                             | 109-M10   | Mukesh Limbachiya, Mohammed Seddik Meddah, and Youssef Ouchagour                               | Jan.-Feb. 2012  | 91       |
| single fiber pullout  | Pullout Behavior of High-Strength Steel Fibers Embedded in Ultra-High-Performance Concrete                                | 109-M46   | Kay Wille and Antoine E. Naaman  | July-Aug. 2012  | 479      |
| size effect           | Influence of Specimen Size and Fiber Content on Mechanical Properties of Ultra-High-Performance Fiber-Reinforced Concrete | 109-M66   | Sadegh Kazemi and Adam S. Lubell   | Nov.-Dec. 2012  | 675      |
| skewness              | Distributions of Compressive Strength Obtained from Various Diameter Cores  | 109-M58   | Ahmet Ozan Celik, Kadir Kilinc, Mustafa Tuncan, and Ahmet Tuncan                               | Nov.-Dec. 2012  | 597      |
| sleeper               | Hydraulic Pressure Cracking in Rail Seats of Concrete Crossties   | 109-M62   | John C. Zeman, J. Riley Edwards, David A. Lange, and Christopher P. L. Barkan                  | Nov.-Dec. 2012  | 639      |
| slump                 | Analysis of L-Box Test for Tremie Pipe Concrete   | 109-M28   | Habib Alehossein, Karsten Beckhaus, and Martin Larisch   | May-June 2012   | 303      |
| slump flow            | Effect of Metakaolin and Silica Fume on Rheology of Self-Consolidating Concrete   | 109-M64   | Assem A. A. Hassan, Mohamed Lachemi, and Khandaker M. A. Hossain                               | Nov.-Dec. 2012  | 657      |
| sound absorption      | Potential Recycling of Bottom and Fly Ashes in Acoustic Mortars and Concretes   | 109-M51   | Carlos Leiva, Luis F. Vilches, Celia Arenas, Silvia Delgado, and Constantino Fernández-Pereira | Sept.-Oct. 2012 | 529      |
| spalling              | High Temperature Resistance of Alkali-Activated Slag- and Portland Cement-Based Reactive Powder Concrete                  | 109-M44   | Serdar Aydın and Bülent Baradan  | July-Aug. 2012  | 463      |
| specific volume       | Cement Chemical Shrinkage as Measure of Hydration Kinetics and Its Relationship with Nonevaporable Water                  | 109-M32   | Xueyu Pang and Christian Meyer   | May-June 2012   | 341      |
| splice                | Creep Testing of Epoxy-Bonded Reinforcing Bar Couplers  | 109-M47   | Griffin Brungraber   | Sept.-Oct. 2012 | 499      |

| Keywords                     | Paper Title  | Paper No. | Author Names   | Month/Year      | Page No. |
|------------------------------|--|-----------|--|-----------------|----------|
| spread                       | Analysis of L-Box Test for Tremie Pipe Concrete  | 109-M28   | Habib Alehossein, Karsten Beckhaus, and Martin Larisch                     | May-June 2012   | 303      |
| static modulus of elasticity | Mechanical Properties and Durability of Ultra-High-Performance Concrete  | 109-M18   | Cornelia Magureanu, Ioan Sosa, Camelia Negrutiu, and Bogdan Heghes         | Mar.-Apr. 2012  | 177      |
| steel fiber                  | Influence of Specimen Size and Fiber Content on Mechanical Properties of Ultra-High-Performance Fiber-Reinforced Concrete            | 109-M66   | Sadegh Kazemi and Adam S. Lubell   | Nov.-Dec. 2012  | 675      |
| steel fibers                 | Effect of Beam Size, Casting Method, and Support Conditions on Flexural Behavior of Ultra-High-Performance Fiber-Reinforced Concrete | 109-M36   | Kay Wille and Gustavo J. Parra-Montesinos                                  | May-June 2012   | 379      |
| steel fibers                 | Mechanical Properties and Durability of Ultra-High-Performance Concrete  | 109-M18   | Cornelia Magureanu, Ioan Sosa, Camelia Negrutiu, and Bogdan Heghes         | Mar.-Apr. 2012  | 177      |
| steel slag                   | Use of Relatively High Fe <sub>2</sub> O <sub>3</sub> Steel Slag as Coarse Aggregate in Concrete                                     | 109-M45   | Hisham Qasrawi   | July-Aug. 2012  | 471      |
| stiffening                   | Setting Time Measurement Using Ultrasonic Wave Reflection  | 109-M12   | Chul-Woo Chung, Prannoy Suraneni, John S. Popovics, and Leslie J. Struble  | Jan.-Feb. 2012  | 109      |
| strain                       | Early-Age Shrinkage of Ultra-High-Performance Concrete under Drying/Wetting Cycles and Submerged Conditions                          | 109-M13   | Ahmed Soliman and Moncef Nehdi   | Mar.-Apr. 2012  | 131      |
| strain distribution          | Proposed Flexural Test Method and Associated Inverse Analysis for Ultra-High-Performance Fiber-Reinforced Concrete                   | 109-M53   | Florent Baby, Benjamin Graybeal, Pierre Marchand, and François Toutlemonde | Sept.-Oct. 2012 | 545      |
| strain rate                  | Experimental Study on Dynamic Axial Tensile Mechanical Properties of Concrete and Its Components                                     | 109-M50   | Shengxing Wu, Yao Wang, Dejian Shen, and Jikai Zhou                        | Sept.-Oct. 2012 | 517      |
| strength                     | Performance of Portland/Silica Fume Cement Concrete Produced with Recycled Concrete Aggregate  | 109-M10   | Mukesh Limbachiya, Mohammed Seddik Meddah, and Youssef Ouchagour           | Jan.-Feb. 2012  | 91       |
| strengthening                | Biaxial Stress due to Shrinkage in Concrete Jackets of Strengthened Columns  | 109-M31   | Andreas P. Lampropoulos, Ourania T. Tsioulou, and Stephanos E. Dritsos     | May-June 2012   | 331      |
| stress level                 | Fatigue Analysis of Plain and Fiber-Reinforced Self-Consolidating Concrete   | 109-M56   | S. Goel, S. P. Singh, and P. Singh   | Sept.-Oct. 2012 | 573      |

| Keywords               | Paper Title   | Paper No. | Author Names   | Month/Year      | Page No. |
|------------------------|---|-----------|--|-----------------|----------|
| stress-strain response | Evaluation of Elastic Modulus for High-Strength Concrete  | 109-M29   | Hugues M. Vogel and Dagmar Svecova   | May-June 2012   | 313      |
| sulfate attack         | Performance of Portland/Silica Fume Cement Concrete Produced with Recycled Concrete Aggregate         | 109-M10   | Mukesh Limbachiya, Mohammed Seddik Meddah, and Youssef Ouchagour                       | Jan.-Feb. 2012  | 91       |
| surface waves          | Surface Wave Velocity-Stress Relationship in Uniaxially Loaded Concrete                               | 109-M14   | Parisa Shokouhi, Andreas Zoëga, Herbert Wiggenhauser, and Gregor Fischer               | Mar.-Apr. 2012  | 141      |
| sustainability         | A First-Cut Field Method to Evaluate Limestone Aggregate Durability                                   | 109-M54   | Julienne Ruth Emry, Robert H. Goldstein, and Evan K. Franseen                          | Sept.-Oct. 2012 | 557      |
| sustainability         | Concrete with Used Tire Rubber Aggregates: Mechanical Performance                                     | 109-M26   | Filipe Valadares, Miguel Bravo, and Jorge de Brito                                     | May-June 2012   | 283      |
| sustainability         | Vertical Distribution of Sediments in Pervious Concrete Pavement Systems                              | 109-M15   | Luis A. Mata and Michael L. Leming   | Mar.-Apr. 2012  | 149      |
| sustainable concrete   | Performance of Portland/Silica Fume Cement Concrete Produced with Recycled Concrete Aggregate         | 109-M10   | Mukesh Limbachiya, Mohammed Seddik Meddah, and Youssef Ouchagour                       | Jan.-Feb. 2012  | 91       |
| Taguchi method         | Effect of Using Mortar Interface and Overlays on Masonry Behavior by Using Taguchi Method             | 109-M49   | Mariam Farouk Ghazy  | Sept.-Oct. 2012 | 509      |
| temperature            | Influence of Environment on Durability of Fly Ash Cement Mortars                                      | 109-M63   | J. Marcos Ortega, Isidro Sánchez, Carlos Antón, Guillem de Vera, and Miguel A. Climent | Nov.-Dec. 2012  | 647      |
| temperature            | Monotonic and Cyclic Behavior of High-Strength Concrete with Polypropylene Fibers at High Temperature | 109-M30   | Eddie Siu-Shu Lam, Bo Wu, Qun Liu, and Ivy Fung-Yuen Ho                                | May-June 2012   | 323      |
| tensile properties     | Long-Term Behavior of Cracked Steel Fiber-Reinforced Concrete Beams under Sustained Loading           | 109-M22   | Raúl L. Zerbino and Bryan E. Barragán  | Mar.-Apr. 2012  | 215      |
| tensile strength       | Mechanical Properties and Durability of Ultra-High-Performance Concrete                               | 109-M18   | Cornelia Magureanu, Ioan Sosa, Camelia Negrutiu, and Bogdan Heghes                     | Mar.-Apr. 2012  | 177      |
| tensile strength       | Mechanical Properties of Self-Consolidating Concrete Using Conventional Concrete Models               | 109-M57   | Angel Vilanova, Jaime Fernández-Gómez, and Galit Agranati Landsberger                  | Nov.-Dec. 2012  | 587      |
| tensile strength       | Use of Relatively High Fe <sub>2</sub> O <sub>3</sub> Steel Slag as Coarse Aggregate in Concrete      | 109-M45   | Hisham Qasrawi   | July-Aug. 2012  | 471      |

| Keywords  | Paper Title  | Paper No. | Author Names   | Month/Year      | Page No. |
|---|--|-----------|--|-----------------|----------|
| tensile stress-strain response                            | Proposed Flexural Test Method and Associated Inverse Analysis for Ultra-High-Performance Fiber-Reinforced Concrete                   | 109-M53   | Florent Baby, Benjamin Graybeal, Pierre Marchand, and François Toutlemonde | Sept.-Oct. 2012 | 545      |
| test methods  | Concrete Carbonation as a Limited Process and Its Relevance to Concrete Cover Thickness  | 109-M25   | Lech Czarnecki and Piotr Woyciechowski                                     | May-June 2012   | 275      |
| thermal conductivity                                      | Effect of Phase-Change Materials on Properties of Concrete   | 109-M08   | Pania Meshgin and Yunping Xi   | Jan.-Feb. 2012  | 71       |
| thermal stresses  | Apparent Thermal Coefficient of Expansion of Concrete Building with Restraint  | 109-M07   | Magued Iskander, Saumil Parikh, and Walid Aboumoussa                       | Jan.-Feb. 2012  | 63       |
| toughness   | Fracture Surface-Based Toughness Modeling of Cement-Based Materials  | 109-M05   | Anne B. (Abell) Nichols and David A. Lange                                 | Jan.-Feb. 2012  | 41       |
| transient creep   | Effect of Transient Creep on Behavior of Reinforced Concrete Beams in a Fire   | 109-M59   | Arezki Sadaoui and Amar Khennane   | Nov.-Dec. 2012  | 607      |
| transverse strength                                       | Mechanical Characterization of Concrete Roof Tiles   | 109-M02   | María Isabel Sánchez de Rojas, Félix P. Marín, and Ana María Martín        | Jan.-Feb. 2012  | 11       |
| twisted fiber   | Pullout Behavior of High-Strength Steel Fibers Embedded in Ultra-High-Performance Concrete   | 109-M46   | Kay Wille and Antoine E. Naaman  | July-Aug. 2012  | 479      |
| ultra-high-performance concrete                           | Mechanical Properties and Durability of Ultra-High-Performance Concrete  | 109-M18   | Cornelia Magureanu, Ioan Sosa, Camelia Negrutiu, and Bogdan Heghes         | Mar.-Apr. 2012  | 177      |
| ultra-high-performance concrete (UHPC)                    | Effect of Beam Size, Casting Method, and Support Conditions on Flexural Behavior of Ultra-High-Performance Fiber-Reinforced Concrete | 109-M36   | Kay Wille and Gustavo J. Parra-Montesinos                                  | May-June 2012   | 379      |
| ultra-high-performance concrete (UHPC)                    | Proposed Flexural Test Method and Associated Inverse Analysis for Ultra-High-Performance Fiber-Reinforced Concrete                   | 109-M53   | Florent Baby, Benjamin Graybeal, Pierre Marchand, and François Toutlemonde | Sept.-Oct. 2012 | 545      |
| ultra-high-performance concrete (UHPC)                    | Pullout Behavior of High-Strength Steel Fibers Embedded in Ultra-High-Performance Concrete   | 109-M46   | Kay Wille and Antoine E. Naaman  | July-Aug. 2012  | 479      |
| ultra-high-performance fiber-reinforced concrete (UHPFRC) | Influence of Specimen Size and Fiber Content on Mechanical Properties of Ultra-High-Performance Fiber-Reinforced Concrete            | 109-M66   | Sadegh Kazemi and Adam S. Lubell   | Nov.-Dec. 2012  | 675      |

| Keywords   | Paper Title  | Paper No. | Author Names   | Month/Year      | Page No. |
|--|--|-----------|--|-----------------|----------|
| ultra-high-performance fiber-reinforced concrete (UHPFRC)  | Proposed Flexural Test Method and Associated Inverse Analysis for Ultra-High-Performance Fiber-Reinforced Concrete                   | 109-M53   | Florent Baby, Benjamin Graybeal, Pierre Marchand, and François Toutlemonde | Sept.-Oct. 2012 | 545      |
| ultra-high-performance fiber-reinforced concrete (UHP-FRC) | Effect of Beam Size, Casting Method, and Support Conditions on Flexural Behavior of Ultra-High-Performance Fiber-Reinforced Concrete | 109-M36   | Kay Wille and Gustavo J. Parra-Montesinos                                  | May-June 2012   | 379      |
| ultra-high-performance fiber-reinforced concrete (UHP-FRC) | Pullout Behavior of High-Strength Steel Fibers Embedded in Ultra-High-Performance Concrete   | 109-M46   | Kay Wille and Antoine E. Naaman  | July-Aug. 2012  | 479      |
| ultrasonic pulse velocity                                  | Rebound Hammer, Pulse Velocity, and Core Tests in Self-Consolidating Concrete  | 109-M24   | Lina Rojas-Henao, Jaime Fernández-Gómez, and Juan Carlos López-Agüí        | Mar.-Apr. 2012  | 235      |
| ultrasonic shear wave reflection                           | Setting Time Measurement Using Ultrasonic Wave Reflection  | 109-M12   | Chul-Woo Chung, Prannoy Suraneni, John S. Popovics, and Leslie J. Struble  | Jan.-Feb. 2012  | 109      |
| uniaxial compression                                       | Crack Propagation in Recycled Aggregate Concrete under Uniaxial Compressive Loading  | 109-M43   | Jianzhuang Xiao, Wengui Li, Zhihui Sun, and Surendra P. Shah               | July-Aug. 2012  | 451      |
| uniaxial compression                                       | Low-Cycle Fatigue of Oil Well Cements in Compression   | 109-M19   | Xueyu Pang, Robert Darbe, Kris Ravi, and Christian Meyer                   | Mar.-Apr. 2012  | 185      |
| used tire rubber aggregate                                 | Concrete with Used Tire Rubber Aggregates: Mechanical Performance  | 109-M26   | Filipe Valadares, Miguel Bravo, and Jorge de Brito                         | May-June 2012   | 283      |
| V-funnel   | Effect of Metakaolin and Silica Fume on Rheology of Self-Consolidating Concrete  | 109-M64   | Assem A. A. Hassan, Mohamed Lachemi, and Khandaker M. A. Hossain           | Nov.-Dec. 2012  | 657      |
| velocity measurement                                       | Surface Wave Velocity-Stress Relationship in Uniaxially Loaded Concrete  | 109-M14   | Parisa Shokouhi, Andreas Zoëga, Herbert Wiggerhauser, and Gregor Fischer   | Mar.-Apr. 2012  | 141      |
| vibrating wire displacement transducers                    | Apparent Thermal Coefficient of Expansion of Concrete Building with Restraint  | 109-M07   | Magued Iskander, Saamil Parikh, and Walid Aboumoussa                       | Jan.-Feb. 2012  | 63       |
| viscosity  | Analysis of L-Box Test for Tremie Pipe Concrete  | 109-M28   | Habib Alehossein, Karsten Beckhaus, and Martin Larisch                     | May-June 2012   | 303      |
| Weibull distribution                                       | Fatigue Analysis of Plain and Fiber-Reinforced Self-Consolidating Concrete   | 109-M56   | S. Goel, S. P. Singh, and P. Singh   | Sept.-Oct. 2012 | 573      |
| workability  | Analysis of L-Box Test for Tremie Pipe Concrete  | 109-M28   | Habib Alehossein, Karsten Beckhaus, and Martin Larisch                     | May-June 2012   | 303      |

| Keywords          | Paper Title   | Paper No. | Author Names  | Month/Year      | Page No. |
|-------------------|---|-----------|---|-----------------|----------|
| workability       | Use of Relatively High Fe <sub>2</sub> O <sub>3</sub> Steel Slag as Coarse Aggregate in Concrete                                | 109-M45   | Hisham Qasrawi  | July-Aug. 2012  | 471      |
| X-ray diffraction | Effect of Na <sub>2</sub> SiO <sub>3</sub> /NaOH Ratios and NaOH Molarities on Compressive Strength of Fly-Ash-Based Geopolymer | 109-M48   | A. M. Mustafa Al Bakri, H. Kamarudin, M. Bnhussain, A. R. Rafiza, and Y. Zarina | Sept.-Oct. 2012 | 503      |
| yield stress      | Effect of Metakaolin and Silica Fume on Rheology of Self-Consolidating Concrete   | 109-M64   | Assem A. A. Hassan, Mohamed Lachemi, and Khandaker M. A. Hossain                | Nov.-Dec. 2012  | 657      |