

ACI MATERIALS JOURNAL

Paper Index Volume 108, 2011 *January through December 2011*



American Concrete Institute®
Advancing concrete knowledge

A

Activation of Fly Ash with Dehydrated Cement Paste (108-M23)—Zhonghe Shui, Rui Yu, and Jun Dong, Mar.-Apr. 2011..... 204

Another Look at the Relationship between Strength and Composition of Concrete (108-M13)—Sándor Popovics, Mar.-Apr. 2011..... 115

Application of the Incremental Core-Drilling Method to Determine In-Situ Stresses in Concrete (108-M31)—Christopher Trautner, Michael McGinnis, and Stephen Pessiki, May-June 2011..... 290

Assessing Lightweight Aggregate Efficiency for Maximizing Internal Curing Performance (108-M41)—Álvaro Paul and Mauricio Lopez, July-Aug. 2011 385

B

Behavior of Fire-Damaged Mortar under Variable Re-curing Conditions (108-M30)—Michael Henry, Masamitsu Suzuki, and Yoshitaka Kato, May-June 2011 281

C

Cement-Based Piezoelectric Ceramic Composite and Its Sensor Applications in Civil Engineering (108-M58)—Biqin Dong, Feng Xing, and Zongjin Li, Sept.-Oct. 2011 543

Characterization of Deep Surfacing-Opening Cracks in Concrete: Feasibility of Impact-Generated Rayleigh-Waves (107-M36)—Hwa Kian Chai, Shohei Momoki, Dimitrios G. Aggelis, and Tomoki Shiotani, May-June 2010..... 305

Characterization of Deep Surfacing-Opening Cracks in Concrete: Feasibility of Impact-Generated Rayleigh-Waves (107-M36)—Disc. by John S. Popovics and Surendra P. Shah, Mar.-Apr. 2011 219

Compressive Stress-Strain Relationships for North American Concrete under Elevated Temperatures (108-M29)—Adam M. Knaack, Yahya C. Kurama, and David J. Kirkner, May-June 2011 270

Constitutive Relationships for Normal- and High-Strength Concrete at Elevated Temperatures (108-M37)—Farhad Aslani and Morteza Bastami, July-Aug. 2011 355

Cracking and Healing of Engineered Cementitious Composites under Chloride Environment (108-M36)—Mo Li and Victor C. Li, May-June 2011 333

Creep of Prestressed Self-Consolidating Concrete (108-M50)—Wu-Jian Long and Kamal Henri Khayat, Sept.-Oct. 2011..... 476

D

Damage Behavior of Yarn Embedded in Concrete Using Acoustic Emission Analysis (108-M12)—Bong-Gu Kang, Joachim Hannawald, and Wolfgang Brameshuber, Jan.-Feb. 2011 95

Design and Elaboration of Concrete Mixtures Using Steel-making Slags (108-M72)—Juan Manuel Manso, David Hernández, María Milagros Losáñez, and Javier Jesús González, Nov.-Dec. 2011..... 673

Distribution of Chloride Accumulation in Marine Tidal Zone along Altitude (108-M49)—Yi Zhang and Wei-Liang Jin, Sept.-Oct. 2011..... 467

Diverse Embedment Model for Steel Fiber-Reinforced Concrete in Tension: Model Development (108-M55)—Seong-Cheol Lee, Jae-Yeol Cho, and Frank J. Vecchio, Sept.-Oct. 2011..... 516

Diverse Embedment Model for Steel Fiber-Reinforced Concrete in Tension: Model Verification (108-M56)—Seong-Cheol Lee, Jae-Yeol Cho, and Frank J. Vecchio, Sept.-Oct. 2011..... 526

E

Effect of Aggregate Size on Shear Behavior of Lightweight Concrete Continuous Slender Beams (108-M53)—Keun-Hyeok Yang, Jae-Il Sim, Byong-Jeong Choi, and Eun-Taik Lee, Sept.-Oct. 2011..... 501

Effect of Electrochemical Treatment in Inhibiting Corrosion of Steel in Concrete (108-M51)—Ki Yong Ann, Min-Sun Jung, Hyun Bo Shim, and Myung Chul Shin, Sept.-Oct. 2011..... 485

Effect of High Temperature on Tensile Strength of Different Types of High-Strength Concrete (108-M42)—W. Khaliq and V. K. R. Kodur, July-Aug. 2011..... 394

Effect of Initial On-Site Curing on 28-Day Cylinder Strength (108-M54)—José Calavera, Jaime Fernández-Gómez, Germán González, Jorge Ley, and Pedro López, Sept.-Oct. 2011..... 510

Effectiveness of Mixing Time on Hardened Properties of Water-glass-Activated Slag Pastes and Mortars (108-M09)—Marta Palacios and Francisca Puertas, Jan.-Feb. 2011..... 73

Effects of Silica Fume on Heat Generation of Curing Concrete (108-M70)—A. K. H. Kwan, J. J. Chen, W. W. S. Fung, and P. L. Ng, Nov.-Dec. 2011..... 655

Engineering Properties of Alkali-Activated Natural Pozzolan Concrete (108-M08)—Dali Bondar, Cyril J. Lynsdale, Neil B. Milestone, Nemat Hassani, and Ali Akbar Ramezani-pour, Jan.-Feb. 2011..... 64

Equivalent Confinement in HPFRCC Columns Measured by Triaxial Test (108-M18)—Alessandro P. Fantilli, Hirozo Mihashi, Paolo Vallini, and Bernardino M. Chiaia, Mar.-Apr. 2011..... 159

Estimation of Carbonation Depth Based on Hygrothermal Calculations (108-M24)—Christina Giarma, Mar.-Apr. 2011..... 209

Evaluating Surface-Breaking Cracks in Concrete Using Air-Coupled Sensors (108-M60)—Seong-Hoon Kee, Eulalio Fernández-Gómez, and Jinying Zhu, Sept.-Oct. 2011..... 558

Evaluation of Autogenous Deformation of Concrete at Early Ages (108-M03)—Sam Slatnick, Kyle A. Riding, Kevin J. Folliard, María C. G. Juenger, and Anton K. Schindler, Jan.-Feb. 2011..... 21

Experimental Study on Creep and Durability of High-Early-Strength Self-Consolidating Concrete for Precast Elements (108-M15)—Young Hoon Kim, David Trejo, Mary Beth D. Hueste, and Jeong Joo Kim, Mar.-Apr. 2011..... 128

F

Factors Affecting Bond between New and Old Concrete (108-M48)—Pedro Miguel Duarte Santos and Eduardo Nuno Brito Santos Júlio, July-Aug. 2011..... 449

Failure Behavior of Concrete Cylinders under Different End Conditions (108-M10)—M. Roddenberry, R. Kampmann, M. H. Ansley, N. Bouchard, and W. V. Ping, Jan.-Feb. 2011..... 79

Fire Tests of Hybrid and Carbon Fiber-Reinforced Polymer Bar Reinforced Concrete Beams (108-M27)—Muhammad Masood Rafi and Ali Nadjai, May-June 2011..... 252

Freezing-and-Thawing Durability of Pervious Concrete under Simulated Field Conditions (108-M21)—Zhifu Yang, Mar.-Apr. 2011..... 187

G

Ground-Granulated Blast-Furnace Slag as Potential Filler in Polyester Grout: Compressive Strength Development (108-M14)—Siong Kang Lim, Tung-Chai Ling, and Mohd Warid Hussin, Mar.-Apr. 2011..... 120

H

Heat Generation of Curing Fly Ash Concrete at Different w/cm (108-M33)—A. K. H. Kwan, W. W. S. Fung, J. J. Chen, and P. L. Ng, May-June 2011..... 307

High-Early-Strength Engineered Cementitious Composites for Fast, Durable Concrete Repair—Material Properties (108-M01)—Mo Li and Victor C. Li, Jan.-Feb. 2011..... 3

High-Energy Ball Mill Parameters Used to Obtain Ultra-Fine Portland Cement at Laboratory Level (108-M39)—Juan Carlos Arteaga-Arcos, Obed Arnaldo Chimal-Valencia, David Joaquín Delgado Hernández, Hernani Tiago Yee Madeira, and Sebastián Díaz de la Torre, July-Aug. 2011..... 371

I

Impact Behavior of Sisal Fiber Cement Composites under Flexural Load (108-M19)—Flávio de Andrade Silva, Deju Zhu, Barzin Mobasher, and Romildo Dias Toledo Filho, Mar.-Apr. 2011..... 168

Impact Behavior of Textile and Hybrid Cement-Based Composites (108-M25)—Efrat Haim and Alva Peled, May-June 2011..... 235

Influence of Hauling Time on Fresh Properties of Self-Consolidating Concrete (108-M26)—Hamidou Diawara and Nader Ghafoori, May-June 2011..... 244

Influence of Surface Crack Width on Bond Strength of Reinforced Concrete (108-M04)—Denglei Tang, Thomas K. C. Molyneaux, David W. Law, and Rebecca Gravina, Jan.-Feb. 2011..... 29

In-Place Evaluation of Masonry Shear Behavior Using Digital Image Analysis (108-M44)—Carlo Citto, Shan I. Wo, Kaspar J. Willam, and Michael P. Schuller, July-Aug. 2011..... 413

Instantaneous In-Situ Determination of Water-Cement Ratio of Fresh Concrete (107-M66)—M. Mancio, J. R. Moore, Z. Brooks, P. J. M. Monteiro, and S. D. Glaser, Nov.-Dec. 2010..... 586

Instantaneous In-Situ Determination of Water-Cement Ratio of Fresh Concrete (107-M66)—Disc. by Ward R. Malisch, Sept.-Oct. 2011..... 566

L

Lightweight Aggregate as Internal Curing Agent to Limit Concrete Shrinkage (108-M68)—JoAnn Browning, David Darwin, Diane Reynolds, and Benjamin Pendergrass, Nov.-Dec. 2011..... 638

Linear Polarization Resistance Tests on Corrosion Protection Degree of Post-Tensioning Grouts (108-M38)—Alexandre R. Pacheco, Andrea J. Schokker, Jeffery S. Volz, and H. R. (Trey) Hamilton III, July-Aug. 2011..... 365

Long-Term Performance of Glass Fiber-Reinforced Polymer Reinforcement Embedded in Concrete (108-M64)—David Trejo, Paolo Gardoni, and Jeong Joo Kim, Nov.-Dec. 2011..... 605

M

- Macro- and Micro-Characterization of Mortars Produced with Carbon Nanotubes (108-M35)**—Valquíria S. Melo, José M. F. Calixto, Luiz O. Ladeira, and Adriano P. Silva, May-June 2011 327
- Measurement Device and Characteristics of Diffusion Coefficient of Carbon Dioxide in Concrete (108-M62)**—Sang Hwa Jung, Myung Kue Lee, and Byung Hwan Oh, Nov.-Dec. 2011 589
- Mechanical Properties of Fly-Ash-Based Geopolymer Concrete (108-M32)**—E. Ivan Diaz-Loya, Erez N. Allouche, and Saiprasad Vaidya, May-June 2011 300
- Mixture Proportion Development and Performance Evaluation of Pervious Concrete for Overlay Applications (108-M47)**—John T. Kevern, Vernon R. Schaefer, and Kejin Wang, July-Aug. 2011 439

N

- Neural Network Modeling of Rheological Parameters of Grouts Containing Viscosity-Modifying Agent (108-M34)**—Mohammed Sonebi and Savko Malinov, May-June 2011 316
- New Model for Estimating Apparent Activation Energy of Cementitious Systems (108-M59)**—K. A. Riding, J. L. Poole, K. J. Folliard, M. C. G. Juenger, and A. K. Schindler, Sept.-Oct. 2011 550

P

- Performance of 100% Fly Ash Concrete with Recycled Glass Aggregate (108-M40)**—Michael Berry, Jerry Stephens, and Doug Cross, July-Aug. 2011 378
- Permeation Properties of Self-Consolidating Concretes with Mineral Admixtures (108-M17)**—Erhan Güneşisi, Mehmet Gesoglu, and Erdogan Özbay, Mar.-Apr. 2011 150
- Portable Vane Test to Assess Structural Buildup at Rest of Self-Consolidating Concrete (108-M67)**—Ahmed F. Omran, Siwar Naji, and Kamal H. Khayat, Nov.-Dec. 2011 628
- Predicting Concrete Compressive Strength Using Ultrasonic Pulse Velocity and Rebound Number (108-M43)**—Qindan Huang, Paolo Gardoni, and Stefan Hurlbeaus, July-Aug. 2011 403
- Prediction of Efficiency Factor of Ground-Granulated Blast-Furnace Slag of Concrete Using Artificial Neural Network (108-M07)**—Bakhta Boukhatem, Mohamed Ghrici, Said Kenai, and Arezki Tagnit-Hamou, Jan.-Feb. 2011 55
- Prediction of Equivalent Steady-State Chloride Diffusion Coefficients (108-M11)**—Pratanu Ghosh, Alex Hammond, and Paul J. Tikalsky, Jan.-Feb. 2011 88
- Properties of Mortars with Natural Pozzolana and Limestone-Based Blended Cements (108-M52)**—Erhan Güneşisi, Mehmet Gesoglu, Turan Özturan, Kasim Mermerdas, and Erdogan Özbay, Sept.-Oct. 2011 493
- Pumping Quality Control Method Based on Online Concrete Pumpability Assessment (108-M45)**—Olga Río, Ángel Rodríguez, Samir Nabulsi, and Marina Álvarez, July-Aug. 2011 423

R

- Rheology of Fly-Ash-Based Geopolymer Concrete (108-M57)**—Aminul Islam Laskar and Rajan Bhattacharjee, Sept.-Oct. 2011 536

- Robustness of Self-Consolidating Concrete Incorporating Different Viscosity-Enhancing Admixtures (108-M46)**—Siwar Naji, Soo-Duck Hwang, and Kamal H. Khayat, July-Aug. 2011 432

S

- Self-Accelerated Reactive Powder Concrete Using Partially Hydrated Cementitious Materials (108-M63)**—Ahmed M. Soliman and Moncef L. Nehdi, Nov.-Dec. 2011 596
- Signal-Based Acoustic Emission Monitoring on Mortar Using Cement-Based Piezoelectric Sensors (108-M20)**—Youyuan Lu, Zongjin Li, and Lei Qin, Mar.-Apr. 2011 178
- Simple Analytical Model for Formwork Design of Self-Consolidating Concrete (108-M05)**—Jae Hong Kim, Mark W. Beacraft, Seung Hee Kwon, and Surendra P. Shah, Jan.-Feb. 2011 38
- Space-Averaged Constitutive Model for HPFRCCs with Multi-Directional Cracking (108-M16)**—Kohei Nagai, Benny Suryanto, and Koichi Maekawa, Mar.-Apr. 2011 139
- Strength and Durability of Concrete Made with Electric Steel-making Slag (108-M22)**—Juan A. Polanco, Juan M. Manso, Jesús Setién, and Javier J. González, Mar.-Apr. 2011 196
- Sulfate Resistance of Mortar Mixtures of High-Calcium Fly Ashes and Other Pozzolans (108-M69)**—Rajaram Dhole, Michael D. A. Thomas, Kevin J. Folliard, and Thanu Drimalas, Nov.-Dec. 2011 645
- Synthesis and Properties of Amphoteric Superplasticizer (108-M65)**—Wenjuan Guo, Na Sun, Tao Yang, Meishan Pei, and Yingfei Wang, Nov.-Dec. 2011 614

T

- Tests on Concrete Reinforced with Hybrid or Monolithic Steel and Polyvinyl Alcohol Fibers (108-M71)**—Keun-Hyeok Yang, Nov.-Dec. 2011 664

U

- Ultra-High Performance Concrete with Compressive Strength Exceeding 150 MPa (22 ksi): A Simpler Way (108-M06)**—Kay Wille, Antoine E. Naaman, and Gustavo J. Parra-Montesinos, Jan.-Feb. 2011 46
- Unified Shrinkage Model for Concrete from Autogenous Shrinkage Test on Paste with and without Ground-Granulated Blast-Furnace Slag (108-M02)**—Ya Wei, Will Hansen, Joseph J. Biernacki, and Erik Schlangen, Jan.-Feb. 2011 13
- Use of Water Reducers to Improve Grindability and Performance of Portland Cement Clinker (108-M66)**—Joseph J. Assaad and Salim E. Asseily, Nov.-Dec. 2011 619

V

- Validation of Performance-Dependent Failure Criterion for Concretes (108-M28)**—Paula Folino and Guillermo Etse, May-June 2011 261
- Viability of Two New Mixture Design Methodologies for Self-Consolidating Concrete (108-M61)**—Pedro Silva, Jorge de Brito, and João Costa, Nov.-Dec. 2011 579