

An ACI Standard

Specifications for Concrete Construction (ACI 301-20)

Reported by ACI Committee 301

ACI 301-20



American Concrete Institute
Always advancing



Specifications for Concrete Construction

Copyright by the American Concrete Institute, Farmington Hills, MI. All rights reserved. This material may not be reproduced or copied, in whole or part, in any printed, mechanical, electronic, film, or other distribution and storage media, without the written consent of ACI.

The technical committees responsible for ACI committee reports and standards strive to avoid ambiguities, omissions, and errors in these documents. In spite of these efforts, the users of ACI documents occasionally find information or requirements that may be subject to more than one interpretation or may be incomplete or incorrect. Users who have suggestions for the improvement of ACI documents are requested to contact ACI via the errata website at <http://concrete.org/Publications/DocumentErrata.aspx>. Proper use of this document includes periodically checking for errata for the most up-to-date revisions.

ACI committee documents are intended for the use of individuals who are competent to evaluate the significance and limitations of its content and recommendations and who will accept responsibility for the application of the material it contains. Individuals who use this publication in any way assume all risk and accept total responsibility for the application and use of this information.

All information in this publication is provided “as is” without warranty of any kind, either express or implied, including but not limited to, the implied warranties of merchantability, fitness for a particular purpose or non-infringement.

ACI and its members disclaim liability for damages of any kind, including any special, indirect, incidental, or consequential damages, including without limitation, lost revenues or lost profits, which may result from the use of this publication.

It is the responsibility of the user of this document to establish health and safety practices appropriate to the specific circumstances involved with its use. ACI does not make any representations with regard to health and safety issues and the use of this document. The user must determine the applicability of all regulatory limitations before applying the document and must comply with all applicable laws and regulations, including but not limited to, United States Occupational Safety and Health Administration (OSHA) health and safety standards.

Participation by governmental representatives in the work of the American Concrete Institute and in the development of Institute standards does not constitute governmental endorsement of ACI or the standards that it develops.

Order information: ACI documents are available in print, by download, through electronic subscription, or reprint, and may be obtained by contacting ACI.

ACI codes, specifications, and practices are made available in the ACI Collection of Concrete Codes, Specifications, and Practices. The online subscription to the ACI Collection is always updated, and includes current and historical versions of ACI's codes and specifications (in both inch-pound and SI units) plus new titles as they are published. The ACI Collection is also available as an eight-volume set of books and a USB drive.

American Concrete Institute
38800 Country Club Drive
Farmington Hills, MI 48331
Phone: +1.248.848.3700
Fax: +1.248.848.3701

Specifications for Concrete Construction

An ACI Standard

Reported by ACI Committee 301

Michelle L. Wilson, Chair

Jason P. Bray, Secretary

VOTING MEMBERS

Roger J. Becker*
 Nicholas J. Carino
 Domingo J. Carreira
 Mark F. Chrzanowski
 Teck L. Chua
 James N. Cornell
 Anthony R. DeCarlo Jr.*
 Thano Drimalas
 Christopher C. Ferraro

John W. Gajda*
 Thomas M. Greene
 Kenneth S. Harmon*
 John L. Hausfeld*
 Kenneth C. Hover
 Steven C. Jaycox
 Eric P. Koehler*
 Larry B. Krauser
 Colin L. Lobo

Ward R. Malisch
 Frank Stephen Malits
 David R. Nau
 Theodore L. Neff*
 Aimee Pergalsky
 Eric S. Peterson
 Henry B. Prenger*
 Amy M. Reineke Trygestad
 David B. Scott

George W. Seegebrecht
 Matthew J. Sheehan
 Kuntay K. Talay
 Scott M. Tarr*
 David G. Tepke
 Daniel B. Toon*
 John B. Turner*
 Kevin D. Wolf

*Subcommittee Chairs

SUBCOMMITTEE MEMBERS

Oscar R. Antommattei
 Asit N. Baxi
 Eric Carleton
 Steven J. Crawford
 Ufuk Dilek
 Daniel P. Dorfmueller
 Rick Felder
 Chris A. Forster
 Charles S. Hanskat
 Todd R. Hawkinson

Roger S. Johnston†
 Phil Jones
 Neel R. Khosa
 Donald P. Kline
 Ronald L. Kozikowski Jr.
 Andrew R. Lloyd
 Andrew S. McPherson
 Todd R. Messerly
 Yvonne Nelson
 Joseph F. Neuber Jr.

Lance Osborne
 Karen Polanco
 Jonathon L. Poole
 Christopher James Perry
 Karen Polanco
 John P. Ries
 G. Michael Robinson
 John W. Rohrer
 Paul A. Rouis III
 Steven K. Rowe

Edith G. Smith
 Jason A. Swagert
 Ralph H. Tulis
 Miroslav Vejvoda
 Gregory R. Wagner
 David Wan
 Michael A. Whisonant
 Dennis M. Wittry
 William H. Wolfe
 Zuming Xia

CONSULTING MEMBERS

Jon B. Ardahl

Sidney Freedman

David P. Gustafson

W. Calvin McCall

This is a Reference Specification that the Architect/Engineer can apply to projects involving concrete construction by citing it in the Project Specification. A mandatory requirements checklist and an optional requirements checklist are provided to assist the Architect/Engineer in supplementing the provisions of this Specification as required or needed by designating or specifying individual project requirements.

The first five sections of this Specification cover general requirements for concrete construction. These sections cover materials and proportioning of concrete; reinforcement and prestressing steel; production, placing, finishing, and curing of concrete; formwork performance criteria and construction; treatment of joints; embedded items; repair of surface defects; and finishing of formed and unformed surfaces. Provisions governing testing, evaluation, and acceptance of concrete as well as acceptance of the structures are included. The remaining sections are devoted to architectural concrete, lightweight concrete, mass concrete, post-tensioned concrete, shrinkage-compensating concrete for interior slabs, industrial floor slabs, tilt-up construction, precast structural concrete, and precast architectural concrete.

The materials, processes, quality control measures, and inspections described in this document should be tested, monitored, or performed as applicable only by individuals holding the appropriate ACI Certification or equivalent.

Keywords: architectural concrete; cold weather; compressive strength; consolidation; curing; durability; finish; formwork; grouting; hot weather; industrial floors; inspection; joints; lightweight concrete; mass concrete; mixture proportions; placing; post-tensioned concrete; precast concrete; prestressing steel; repair; reshoring; shoring; shrinkage-compensating concrete; slabs-on-ground; steel reinforcement; testing; tilt-up; tolerance; welded wire reinforcement.

ACI 301-20 supersedes ACI 301-16, was adopted August 31, 2020, and published September 2020.

Copyright ©2020, American Concrete Institute.

All rights reserved including rights of reproduction and use in any form or by any means, including the making of copies by any photo process, or by electronic or mechanical device, printed, written, or oral, or recording for sound or visual reproduction or for use in any knowledge or retrieval system or device, unless permission in writing is obtained from the copyright proprietors.

CONTENTS

SECTION 1—GENERAL REQUIREMENTS, p. 3

- 1.1—Scope, p. 3
- 1.2—Interpretation, p. 3
- 1.3—Definitions, p. 3
- 1.4—Referenced standards, p. 5
- 1.5—Submittals, p. 8
- 1.6—Preconstruction conference, p. 8
- 1.7—Testing and inspection, p. 8
- 1.8—Acceptance of structure, p. 10
- 1.9—Protection of in-place concrete, p. 11

SECTION 2—FORMWORK AND FORMWORK ACCESSORIES, p. 12

- 2.1—General, p. 12
- 2.2—Products, p. 12
- 2.3—Execution, p. 13

SECTION 3—REINFORCEMENT AND REINFORCEMENT SUPPORTS, p. 14

- 3.1—General, p. 14
- 3.2—Products, p. 15
- 3.3—Execution, p. 16

SECTION 4—CONCRETE MIXTURES, p. 18

- 4.1—General, p. 18
- 4.2—Products, p. 19
- 4.3—Execution, p. 24

SECTION 5—HANDLING, PLACING, AND CONSTRUCTING, p. 24

- 5.1—General, p. 24
- 5.2—Products, p. 25
- 5.3—Execution, p. 25

SECTION 6—ARCHITECTURAL CONCRETE, p. 29

- 6.1—General, p. 29
- 6.2—Products, p. 30
- 6.3—Execution, p. 31

SECTION 7—LIGHTWEIGHT CONCRETE, p. 32

- 7.1—General, p. 32
- 7.2—Products, p. 32
- 7.3—Execution, p. 32

SECTION 8—MASS CONCRETE, p. 32

- 8.1—General, p. 32

- 8.2—Products, p. 33
- 8.3—Execution, p. 33

SECTION 9—POST-TENSIONED CONCRETE, p. 33

- 9.1—General, p. 33
- 9.2—Products, p. 35
- 9.3—Execution, p. 36

SECTION 10—SHRINKAGE-COMPENSATING CONCRETE FOR INTERIOR SLABS, p. 39

- 10.1—General, p. 39
- 10.2—Products, p. 39
- 10.3—Execution, p. 40

SECTION 11—INDUSTRIAL FLOOR SLABS, p. 40

- 11.1—General, p. 40
- 11.2—Products, p. 40
- 11.3—Execution, p. 41

SECTION 12—TILT-UP CONSTRUCTION, p. 42

- 12.1—General, p. 42
- 12.2—Products, p. 42
- 12.3—Execution, p. 42

SECTION 13—PRECAST STRUCTURAL CONCRETE, p. 44

- 13.1—General, p. 44
- 13.2—Products, p. 45
- 13.3—Execution, p. 48

SECTION 14—PRECAST ARCHITECTURAL CONCRETE, p. 50

- 14.1—General, p. 50
- 14.2—Products, p. 51
- 14.3—Execution, p. 53

(Nonmandatory information follows)

NOTES TO SPECIFIER, p. 53

- General notes, p. 53
- Foreword to checklists, p. 54
- Authored references, p. 55

MANDATORY REQUIREMENTS CHECKLIST, p. 56

OPTIONAL REQUIREMENTS CHECKLIST, p. 59

SECTION 1—GENERAL REQUIREMENTS

1.1—Scope

1.1.1 This Specification covers construction of cast-in-place concrete, architectural concrete, lightweight concrete, mass concrete, post-tensioned concrete, shrinkage-compensating concrete for interior slabs, industrial floor slabs cast on ground, tilt-up construction, precast structural concrete, and precast architectural concrete.

1.1.2 Unless otherwise specified, Sections 1 through 5 apply to Work where this Specification is referenced. Work covered by Sections 6 through 14 apply only if that Work is designated in Contract Documents.

1.1.3 This Specification is incorporated by Contract Documents and provides requirements for Contractor.

1.1.4 This Specification governs for construction within its scope. If there are differences between requirements of this Specification and project-specific Contract Documents, project-specific Contract Documents govern.

1.1.5 Use shotcrete as designated in Contract Documents.

1.1.6 *Work not specified*—The following Work is not in the scope of this Specification:

- (a) Manufactured concrete products specified by ASTM standards
- (b) Environmental concrete structures
- (c) Heavyweight shielding concrete
- (d) Paving concrete
- (e) Terrazzo
- (f) Insulating concrete
- (g) Refractory concrete
- (h) Nuclear containment structures
- (i) Concrete piles; drilled piers; and caissons assigned to Seismic Design Categories A, B, and C
- (j) Fire safety
- (k) Slipformed concrete walls
- (l) Residential post-tensioned slabs-on-ground

1.1.7 This Specification governs if there is a conflict with referenced materials and testing standards.

1.1.8 Contractor is permitted to submit written alternatives to any provision in this Specification for consideration.

1.1.9 Ignore provisions of this Specification that are not applicable to Work.

1.1.10 *Units*—Values in this Specification are stated in inch-pound units. A companion specification in SI units is available.

1.1.11 Unless otherwise stated, the inch-pound system of units is applicable to ASTM combined standards referenced in this Specification.

1.1.12 The Notes to Specifier are not part of this Specification.

1.2—Interpretation

1.2.1 Unless otherwise explicitly stated, this Specification shall be interpreted using the following principles:

1.2.1.1 Interpret this Specification consistent with the plain meaning of the words and terms used.

1.2.1.2 Definitions provided in this Specification govern over the definitions of the same or similar words or terms found elsewhere.

1.2.1.3 Headings are part of this Specification and are intended to identify the scope of the provisions or sections that follow. If there is a difference in meaning or implication between the text of a provision and a heading, the meaning of the text governs.

1.2.1.4 Notes to a table are part of this Specification. The meaning of the provision text governs in the event of a difference in meaning or implication between the provision text and a note to a table.

1.2.1.5 If a provision of this Specification involves two or more items, conditions, requirements, or events connected by the conjunctions “and” or “or,” interpret the conjunction as follows:

- (a) “and” indicates that all the connected items, conditions, requirements, or events apply.
- (b) “or” indicates that the connected items, conditions, requirements, or events apply singularly.

1.2.1.6 The use of the verbs “may” or “will” indicates that the specification provision is for information to Contractor.

1.2.1.7 The phrases “as indicated in Contract Documents” and “as designated in Contract Documents” mean the specifier included provision requirements in Contract Documents.

1.2.1.8 The phrase “unless otherwise specified” means the specifier may have included an alternative to the default requirement in Contract Documents.

1.2.1.9 The phrase “if specified” means the specifier may have included a requirement in Contract Documents for which there is no default requirement in this Specification.

1.3—Definitions

acceptable or **accepted**—determined to be satisfactory by Architect/Engineer based on requirements of Contract Documents.

acceptance—acknowledgment by Architect/Engineer that submittal or completed Work is acceptable.

ACI Concrete Field Testing Technician Grade I—a person who has demonstrated knowledge and ability to perform and record the results of ASTM standard tests on freshly mixed concrete and to make and cure test specimens; knowledge and ability shall be demonstrated by passing prescribed written and performance examinations and having credentials that are current with the American Concrete Institute.

Architect/Engineer—Architect, Engineer, architectural firm, design or engineering firm, or architectural and engineering firm issuing Contract Documents, or administering the Work under Contract Documents, or both.

backshores—shores placed snugly under a concrete slab or structural member after the original formwork and shores have been removed from a small area at a time, without allowing the slab or member to deflect, or support its own weight or existing construction loads.

cast-in-place concrete—concrete that is deposited and allowed to harden in the place where it is required to be in the completed structure.

check test—test performed to verify result of previous test result of freshly-mixed concrete.