An ACI Technical Publication



Live Load Distribution on Concrete Bridges: Design, Evaluation, Construction, Innovation



Editors: Nur Yazdani and Benjamin Z. Dymond



Live Load Distribution on Concrete Bridges: Design, Evaluation, Construction, Innovation

Sponsored by ACI Committees 342 and 343

ACI Virtual Concrete Convention October 17-21, 2021

Editors: Nur Yazdani and Benjamin Z. Dymond



American Concrete Institute Always advancing

SP-352

Discussion is welcomed for all materials published in this issue and will appear ten months from this journal's date if the discussion is received within four months of the paper's print publication. Discussion of material received after specified dates will be considered individually for publication or private response. ACI Standards published in ACI Journals for public comment have discussion due dates printed with the Standard.

The Institute is not responsible for the statements or opinions expressed in its publications. Institute publications are not able to, nor intended to, supplant individual training, responsibility, or judgment of the user, or the supplier, of the information presented.

The papers in this volume have been reviewed under Institute publication procedures by individuals expert in the subject areas of the papers.

Copyright © 2022 AMERICAN CONCRETE INSTITUTE 38800 Country Club Dr. Farmington Hills, Michigan 48331

All rights reserved, including rights of reproduction and use in any form or by any means, including the making of copies by any photo process, or by any electronic or mechanical device, printed or written or oral, or recording for sound or visual reproduction or for use in any knowledge or retrieval system or device, unless permission in writing is obtained from the copyright proprietors.

Printed in the United States of America

Editorial production: Gail L. Tatum

ISBN-13: 978-1-64195-177-7

Live Load Distribution on Concrete Bridges: Design, Evaluation, Construction, Innovation

In recent years, both researchers and practicing engineers worldwide have been investigating the effect of live load distribution on concrete bridges during design, evaluation, and construction. Papers discussing live load distribution issues and innovation for concrete bridge decks and/or supporting girders were considered for inclusion in this Special Publication. Papers in the following areas of interest were sought: AASHTO methodology, other available codes/specification provisions, simplification of the AASHTO methodology, traffic non-parallel to girders, construction stage issues, partial composite deck-girder systems, long-span girders, slab-span structures, and bridges with missing as-built plans.

To exchange international experiences among a global group of researchers, ACI Committees 343 and 342 organized two sessions entitled "Live Load Distribution on Concrete Bridges: Design, Evaluation, Construction and Innovation" at the Fall 2021 ACI Virtual Convention. This Special Publication contains the technical papers from experts who presented their work at these sessions. The first session was focused on girder bridges and the second session was focused on non-girder bridges. The technical papers in this Special Publication are organized in the order in which they were presented at the ACI Convention.

Overall, in this Special Publication, authors from different backgrounds and geographical locations share their experiences and perspectives on how live load distribution affects concrete bridges during design, evaluation, and construction. Contributions were made from different regions of the world, and the technical papers were authored by experts at universities, government agencies, and private companies.

The co-editors, Dr. Nur Yazdani and Dr. Benjamin Dymond, are grateful for the contributions from the Special Publication authors and sincerely value the time and effort of the authors in preparing the papers in this volume. Furthermore, the Special Publication would not have been possible without the effort expended by the experts who peer reviewed the papers in this volume.

Nur Yazdani and Ben Dymond Co-Editors

TABLE OF CONTENTS

SP-352-1: Live Load Distribution in a Slab-on-Girder Bridge Subjected to Corrosion and Differential Settlement
SP-352-2: Load Testing of a Deteriorated Prestressed Concrete Girder Bridge Without Plans
SP-352-3: Evaluation of Live Load Distribution Factors for Aging Prestressed Concrete Bridges
SP-352-4: Live Load Distribution Factors for a Partially Composite I-Girder Bridge
SP-352-5: Live Load Distribution of Slab-on-Girder Bridges Using Vision-based Measurements
SP-352-6: Effects of Barriers on Load Distribution in a Concrete Slab Span Bridge
SP-352-7: Diagnostic Load Testing and Refined Analysis of Concrete Box Culverts
SP-352-8: Live Load on Concrete Bridge Decks116-134 Authors: Sylwia Stawska, Jacek Chmielewski, and Andrzej S. Nowak
SP-352-9: Field Testing and Refined Load Rating of a Concrete Pan Girder Bridge

Live Load Distribution in a Slab-on-Girder Bridge Subjected to Corrosion and Differential Settlement

Jun Wang and Yail J. Kim

Synopsis: This paper presents the structural performance of bridge decks reinforced with steel and glass fiberreinforced polymer (GFRP) bars subjected to corrosion and differential settlement. The superstructure system of the bridge comprises a deck slab and prestressed concrete girders, which is modeled using a finite element program. In compliance with the American Association of State Highway Transportation Officials (AASHTO) Load and Resistance Factor Design (LRFD) Bridge Design Specifications (BDS), live loads are applied and the implications of various load combinations are examined. Emphasis is placed on determining stress distributions and corresponding live load distribution factors when subjected to the external distress. The calculated load distribution factors are compared against those obtained from AASHTO LRFD BDS. The stress levels and load distributions in the steel- and GFRP-reinforced concrete decks are found to be similar.

Keywords: corrosion; fiber reinforced polymer (FRP); live load distribution factor; settlement